



MATADOR®



FOR SOLID PRODUCTS



Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



MATADOR®



Matador is not only a producer of a varied range of wheelbarrows and other transport equipment. It is also a supplier to leading companies in the Netherlands and abroad. Matador also has exclusive european distribution rights for a number of established producers in Japan, Taiwan and the US.

To enhance our market position, especially in France, we decided to open a branch there. Matador France Sarl is since the 1st of september 2008 a fact.

Due to our extensive experience in mainly engineering, (moulding), robot welding, powdercoating and assembly we are able to offer you a total concept.

Strong foundations of our organization:

- The right investments in people and machines.
- Flexible attitude to the market requirements.
- Production of high quality products at a competitive price.
- Strength in production of lower quantity series.
- Full-service concept; engineering, development, production, spraying/coating, packaging and transport of client specified products.
- Exclusive distribution rights for Prestar®, OPK®, Wesco® and Bishamon® in Europe.

All our products are produced according to the Lean Manufacturing System. This method has been introduced throughout our company on all levels and all departments.

Implemented projects according to the Lean Manufacturing System are:

- The 5S-rules (Sort, Stabilize, Shine, Standardize, Sustain):
Factory visualization and reduction of unnecessary waste. i.e. labour and materials.
- KanBan-system: The stock is managed with cards instead of the ERP-system.
- SMED (Single Minute Exchange of Die): Not allow the order size to have an influence on the price.
- VSM (Value Stream Mapping): Deciding the value stream.

Cradle to Cradle:

The essence of C2C is that sustainability problems can be resolved through technological knowhow. That is why Matador has chosen to work and produce according to this filosofie of sustainability and enhancement of this production method.

Facts: Established: in 1895
 Situated in Helvoirt: sinds 1955
 Employees: 75
 Factory floor: 15.000 m2, Office/factory 9.000 m2
 Own sales office in France

MATADOR

Original Equipment Manufacturer (OEM)

Bishamon

PRESTAR
MADE IN JAPAN

Original Equipment Manufacturer (OEM)



Matador wheelbarrows Matador handtrucks Matador Production Facility, Also for OEM.

Matador exclusive european distributor for several established producers from Japan, Taiwan and US.

Matador environmentally friendly powder-coating. Also for OEM

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

CONTENTS LIST

1. Wheelbarrows for the construction:



4 - 20

2. Wheelbarrows and accessories for agricultural, garden and home:



18 - 21

3. Materials for the construction:



9 - 22

4. Material for transport and logistics:



23 - 27

5. Material for Materialhandling and logistics:



28 - 34

6. Cylinder trucks and storage:



35

7. Material for Internal transport and logistics; platform truck and shelf trolleys:



36 - 42

8. Material for internal transport and logistics; Slim-carts, work-tainers, lifting tables:



43 - 50

9. Parts:



51 - 53

10. Custom metalwork:



55 - 62

MATADOR®

MADE IN HOLLAND

TORO®

(PATENTED)

2014
MODEL

SPECIALLY DEVELOPED FOR THE
CONSTRUCTION, GIVEN THE STRICTER
RULES IN THE FIELD OF PHYSICAL STRESS



triple tray
support

straight lined round nosed tray
for more stability
in upright position .



brake
just kicking
safe and easy



Steel rim
double sealed
ball bearings



All Matador® wheelbarrows
are also available with:
• CT = puncture-proof tyre



Natural rubber handles
especially devised to the
form of your hand

health, safety and ergonomics mark



The Matador TORO® feature the quality mark
vhp ergonomics



(article nr. 13717)
M-170-CT
with puncture proof tyres

(article nr. 13716)
M-170-L4
with pneumatic tyres

- * Flat tray
- * Capacity: 90 liter.
- * Upright tilting.
- * Not lift but push.
- * 15% less load by trundle.
- * 50% less tax by pushing.
- * Braked model.



"The TORO® is a replacement for the traditional wheelbarrow. Trundle is lifting! The Health and Safety Department (Arbo) demands that up to 25 kg may be lifted. The total weight of a wheelbarrow allowed to use (refer to the main trundle) is up to 60kg. (Government Gazette 14 May 2012) This is from September 1. strictness by the labor inspectorate. With the TORO® this is almost past: The TORO® trundle is no longer necessary, but the load is pushed. The TORO® has for every action and movement of cargo such as turning, and tipping the appropriate handles available. In addition, because of the improved weight and handle height, even with trundle (For example, on a scaffold plank) there is a lower back strain than with the traditional wheelbarrow.

The TORO® is equipped with a specially developed brake. Just kicking for securing is easy and secure, the TORO® is then safely stopped.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

The universal pro-trolley UNIPRO®

(PROTECTED MODEL)

FULL LOAD LESS THAN 18 KG. LIFTING.

A consistent and logical ergonomic development of our health and safety brickwheelbarrow (M-220).

Used when a conventional brickwheelbarrow is considered "overloaded" according to the lift laws.



(article nr. 13554)
M-230-CT-UNIPRO
with puncture proof tyres

(article nr. 13553)
M-230-L4-UNIPRO
with pneumatic tyres

health, safety and ergonomics mark



Feature the quality mark vhp ergonomics



(article nr. 13556)
M-230-CT-2WI-UNIPRO
with puncture proof tyres

(article nr. 13555)
M-230-L4-2WI-UNIPRO
with pneumatic tyres

health, safety and ergonomics mark



Feature the quality mark vhp ergonomics



Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

This ergo-(brick)wheelbarrow will be executed with safety handles.

(article nr. 12337)
M-970-Z

Ergo grip with knuckle protection 38x20mm rubber black



MATADOR®

MADE IN HOLLAND

EASY RIDER Stronger - more ergonomic!

NEW

2014
MODEL

(article nr. 13725)

M-115-L4

(article nr. 13727)

M-115-CT

Wheelbarrow Easy-Rider

• Capacity: 80 Liters

• Wear pads

(article nr. 13726)

M-135-L4

(article nr. 13728)

M-135-CT

Wheelbarrow Easy-Rider

• Capacity: 80 Liters

• Wear pads

• reinforced tray

• Tray reinforcement under and on the slanting side



Detail A:
Solid nose ring



Detail B:
Wear pads



Detail D:
Steel rim
double sealed
ball bearings



All Matador® wheelbarrows
are also available with:
• CT = puncture-proof tyre



Natural rubber handles
especially devised to the
form of your hand,
with knuckle protection

Thick material
(1 mm) for extra
durability.

Wear pads to extend
the lifetime of the legs
(See detail B)

puncture proof tyre
Steel rim, double sealed
ball bearings.
(See detail D)

Handgrip at 610mm height



Simple and easy to empty because of the lower fronthead


- Less weight at full load
- Basic frame of oval tube 38x20x1,5
- Very strong chassis in 25 mm round tube
- Improved balance
- Ergonomic by higher handles, less bending and lifting lighter
- Horizontal grip with wheeling so right wrist and is not kinked and 4 instead of 2 fingers bear the burden
- Simple and easy to empty because of the lower fronthead
- No front tray brace, so more room for maneuver
- Continuous oval tube bottom frame and rear tray
- Supplied with safety handles made of natural rubber



Continuous oval tube bottom
frame and rear tray



M-115



M-135

Solid ring providing the
tray with extra strength
(see detail A).

Tray reinforcement under
and on the slanting side

SPECIFICATIONS OF MATADOR WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings.
- Strong: pressed trays with rounded rims.
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.
- Lean production.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

WHEELBARROWS



Detail A:
Solid nose ring

Detail B:
Wear pads

Detail C:
Tray reinforcement

Detail D:
Steel rim
double sealed
ball bearings


Detail E:
Continuous
tray brace

Detail F:
Rounded rim

Example 1:
This illustration clearly shows how the hand has to span a larger circumference around the pipe, as a result of which the carrier has less effect

Example 2:
An oval-shaped grip is ergonomically better, because it is more suited to the shape of a human hand. In addition, a vertical handle pipe shape results in a stronger structure, suitable for heavier loads.

All Matador® wheelbarrows are also available with:
• CT = puncture-proof tyre



(article nr. 10874)
M-130-CT
with puncture proof tyre
Extra reinforced wheelbarrow
• Capacity: 80 liter.
• Continuous tray brace.
• Wear pads.
• Heavy tray (1.2mm).
• Tray reinforcement under the tray and on the slanting side.
• Tubular front tray brace.
• Tray M-904 (art.no. 10946)

(article nr. 10868)
M-130-L4
with pneumatic tyre



(article nr. 10822)
M-100-CT
with puncture proof tyre
Universal wheelbarrow
• Universel tray
• No wear pads
• No tray reinforcement
• No solid nose ring
• Loose tray M-901 (order nr. 10943)

(article nr. 10816)
M-100-L4
with pneumatic tyre



(article nr. 10852)
M-110-CT
with puncture proof tyre
Standard builders wheelbarrow
• Heavy tray
• Wear pads
• No tray reinforcement
• No solid nose ring
• Loose tray M-902 (order nr. 10944)

(article nr. 10846)
M-110-L4
with pneumatic tyre



(article nr. 10856)
M-110-L4 VERZ
with pneumatic tyre
Galvanised wheelbarrow
• Heavy tray
• Wear pads
• No tray reinforcement
• No solid nose ring
• Loose tray (order nr. 10250)



(article nr. 10866)
M-120-CT
with puncture proof tyre
Reinforced wheelbarrow
• Heavy tray
• Wear pads
• Tray reinforcement
• Solid nose ring
• Loose tray M-903 (order nr. 10945)

(article nr. 10860)
M-120-L4
with pneumatic tyre

SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings (see detail D).
- Strong: pressed trays with rounded rims (see detail F).
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.
- Lean production.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

WHEELBARROWS WITH RECTANGULAR TRAY



Detail A:
Wear pads



Detail B:
Steel rim, double
sealed ball bearings




Detail C:
Beam
reinforcement




Detail D:
Extra shore
reinforcement



Detail E:
Natuurrubberen handgreep
ergonomisch naar de
hand gevormd
(bestel nr. 11264)



Example 1:
This illustration clearly
shows how the hand
has to span a larger
circumference around
the pipe, as a result
of which the carter
has less effect



Example 2:
An oval-shaped grip
is ergonomically better,
because it is more suited
to the shape of a human hand
In addition, a vertical handle
pipe shape results in a
stronger structure, suitable
for heavier loads.



All Matador® wheelbarrows
are also available with:
• CT = puncture-proof tyre




(article nr. 13104)
M-120-CT RH
with puncture proof tyre

- capacity: 100 liter
- Tray reinforcement for extra durability

(article nr. 12145)
M-120-L4 RH
with pneumatic tyre

BRICK WHEELBARROWS



(article nr. 10918)

- M-210-CT**
with puncture proof tyre
Reinforced brick wheelbarrow
- load capacity: 60-bricks.
 - Wear pads.
 - Beamreinforcement. (See detail C)
 - Extra shore reinforcement.

(article nr. 10912)

M-210-L4
with pneumatic tyre



(article nr. 10904)

- M-200-L4**
with pneumatic tyre
Brick wheelbarrow.
- load capacity: 60-bricks.
 - Wear pads.



(article nr. 10910)

M-200-CT
with puncture proof tyre

SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings (see detail B).
- Strong: pressed trays with rounded rims
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.
- Lean production.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

QUICK PROFILE ADJUSTER "GECKO"

Patented

TO QUICKLY SET MASONRY PROFILES

(article nr. 12941)

M-GECKO-SNELSTELLER



Set within about 30 seconds.



For wall widths of 40 to about 150 mm.



No damaged profile heads.



BENEFITS OF WORKING WITH THE "GECKO":

- Time savings of 50%.
- Simple and effective.
- No extra tools needed.
- More profiles per baseplate possible.
- Profile heads are not screwed 'rot'.
- To be used from ground level.
- Requires no scratched joints.
- No excavation required (attaching cleats / pickets).
- For use on all levels (inside and outside corners, columns, round walls).
- No loss of height profiles.
- Profile is easy to fasten with a few screws to the leveling foot.
- Simple and precise vertical positioning of the masonry profile.

**AFTER TWO TIMES
THE PURCHASE PRICE
RECOUPS!**

METHOD:

At the start of the masonry, the mason saves a little mortar at the location of the wall hook, or place the hook under a parent butt joint location. Afterwards, the hook can be removed by turning the wing nut, and then by turning a quarter or half turn and take's it off to joint. Also, the hook can be scratched free out of the masonry wall.

PROFILE HEAD ADJUSTER "GECKO"

TO QUICKLY SET TOP MASONRY PROFILES

**THE SOLUTION FOR
PRIMING /
POINT MASTERING !**

(article nr. 13936)

M-KOPSTELLER GECKO



METHOD:

The profile head adjuster "Gecko" is basically used with the quick profile adjuster "Gecko". Put the centeringplace in place at the bottom of the wooden or aluminium profile with 2 chipboard screws. Then, the masonry profile is placed against the inside wall. After this the profile head adjuster has been mounted on the ready masonry or the glued inside wall with a plug and lag screw (or similar fasteners). Masonry profile using spring clip lock, then set level.

TARGET GROUP:

Masons, carpenters and adjusters.

Easy to set perpendicular
to the wall

arms attached with
spring clip

BENEFITS OF WORKING WITH THE "GECKO":

- Setting by 1 person.
- No loose intermediate profiles required.
- Can be used for both wood and aluminium masonry profiles.
- A big advantage is that masonry profile can be placed directly at the wall angle (traditional place).
- Due the eccentric-mechanism spacers are not needed to right angles to the wall.
- To be fastened to the inner wall with just a drillhole.
- Scaffolding can be placed at 10cm off the wall.
- Masonry profile can be easily removed from top scaffolding.
- Masonry profile can be released on bottom at first stroke masonry.
- Masonry profile can, if necessary, be removed in its entirety and be placed back exactly for serving to insulation, etc.
- With the exception of one plug and two screws are no other purchase parts needed.
- After removing the masonry profile, no tools are left behind the cavity.



Masonry profile

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com



M-Bucket holder ready for use



M-Bucket holder folding frame with 4 castors



M-Bucket holder after collapsing ready for 10 and 20 liter buckets



Satisfies the Health & Safety regulations for physical stress.

- No more bending
- No more carrying
- Easily moved



ideal tool for glueing of concrete blocks

(article nr. 14053)
M-BUCKET HOLDER
suitable for buckets
of 10-20 liters



(article nr. 12211)
M-BUCKET HOLDER XL
suitable for mortar tubs
of 65-90 liters



(article nr. 14188)
M-BUCKET HOLDER 30L
suitable for buckets
of 30 liters

SPECIFICATIONS:

14053 M-BUCKET HOLDER:

- Measurements:
650x522mm (wxh)
- Measurements bucketholder:
256x223mm (wxh)
- Wheels:
4 swivel wheels Ø 100mm

12211 M-BUCKET HOLDER XL:

- Measurements:
800x747mm (wxh)
- Measurements tubholder:
500x270mm (wxh)
- Wheels:
4 swivel wheels Ø 125mm
2 with brakes

14188 M-BUCKET HOLDER:

- Measurements:
697x650mm (wxh)
- Measurements bucketholder:
300x133mm (wxh)
- Wheels:
4 swivel wheels Ø 100mm

TARGET GROUP:

- Building branch in adhesives, cement, etc.
- Painting branch, etc for paint cans, etc
- Colour: Powdercoated in Matador gray

PLASTERERS STEPS



(article nr. 15126)
M-STC-2
Plasterer stairs with 2 steps.
59 x 56 x 44 cm (LxWxH)



(article nr. 15127)
M-STC-3
Plasterer stairs with 3 steps.
74 x 61 x 66 cm (LxWxH)

- Steps from square tube
- Bars turned 45° degrees for better grip.
- Bars with pointed end facing up for:
 1. less adhesion of dirt.
 2. dirt can be scraped from shoes.
- Equipped with durable grey powder coating

Technical changes reserved



(article nr. 15017)
ROLHOUDER
fitted with cutting knife
width 100cm

(article nr. 15018)
ROLHOUDER
fitted with cutting knife
width 120cm

Suitable for paper and cover foil

Recommended by Arbow,
(The Health & Safety regulations
for construction industry)
see for more information:
www.arbowfondelijkehulpmiddelen.nl

MATADOR®

MADE IN HOLLAND

GAP FILLER

FOR POURING OF STRIP FOUNDATION CHANNEL HOLLOW CORE SLAB FLOORS



For pouring of strip foundation/channel hollow core slab floors.

- Sturdy construction.
- Very stable thanks to low centre of gravity.
- Large wheels for easy manoeuvring.
- Quick and simple operation.
- No wasting of redundant concrete.
- Enables time savings of up to 40%.
- In keeping with occupational health and safety requirements.
- Capacity: 200 litres.
- Fits in a builders van.



(article nr. 10968)
MK-3 SIDE UNLOADER

MK-3, the allrounder

Suitable for filling the sides of floors. Can be filled precisely along the walls. Also has the capability to fill along the seams between the concrete hollow core slab floors. Gives a clear view of the work area.

The MK-3 is multifunctional with hardly any correctional work to be done.



TUB WHEELBARROW

PATENTED

Permanent suspension bracket
Move the tub wheelbarrow
so that it is positioned under
the tub.


Natural rubber handles
especially devised to the
form of your hand



(article nr. 10970)
M-KUIP

Suitable for tubs 65 and 90 liter (min. Ø 50cm, max. Ø 60cm).

The problems caused by carrying or lifting a tub of cement, sand, loose materials, water and fodder singlehandedly are made light with the M-TUB.



EASY-KYP

PATENTED

(article nr. 14011)
M-EASY KYP



THE HANDY TILT WHEELBARROW SYSTEM.

- Total unique system for emptying a wheelbarrow.
- Lifting and emptying a heavy wheelbarrow into a container, truck or BigBagCar made easy.
- With gas spring (damper).
- With collapsing ramp on wheels.
- With a clamp and tripod for easy and straight placement of the
- Total Zinc immersion, therefore long life.
- Meets all safety regulation requirements.
- Handy for contractors, gardeners, container hire and machine hire firms.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

TOOL WHEELBARROWS




Detail A:
Anti-theft safety



Detail B:
Wheel lock



Detail C:
Steel rim, double
sealed ball bearings



Example 1:
This illustration clearly shows how the hand has to span a larger circumference around the pipe, as a result of which the carrier has less effect



Example 2:
An oval-shaped grip is ergonomically better, because it is more suited to the shape of a human hand. In addition, a vertical handle pipe shape results in a stronger structure, suitable for heavier loads.





All Matador® wheelbarrows are also available with:
• CT = puncture-proof tyre

- Tool wheelbarrow.
- Double hinged lid.
 - Rectangular tray (dim. 90 x 50 x 43 cm) with handlebars.
 - Can be padlocked. (is supplied without a padlock).

(article nr. 10839)
M-106-CT
with puncture proof tyre
• Weight: 42,5 kg

(article nr. 10829)
M-106-L4
with pneumatic tyre
• Weight: 40,6 kg



2-wheeled tool wheelbarrow.

- More load power
- More stability
- Double hinged lid.
- Rectangular tray (dim. 90 x 50 x 43 cm) with handlebars.
- Can be padlocked. (is supplied without a padlock)

(article nr. 10841)
M-106-CT 2WI
with puncture proof tyre
• Weight: 47,7 kg

(article nr. 10833)
M-106-L4 2WI
with pneumatic tyre
• Weight: 44,16 kg



(article nr. 11709)
M-106 LID
Spare lid for Toolbox

(article nr. 10831)
M-106 TOOL BOX
incl. lid.

(article nr. 10838)
M-106 TOOLTRAY
Inlay tooltray for all
Tool wheelbarrows
Per wheelbarrow 4 pieces



SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings (see detail C).
- Strong: pressed trays with rounded rims
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

TILTING TOOL WHEELBARROWS



Detail A:
Anti-theft safety




Detail B:
Wheel lock



Detail C:
Steel rim, double
sealed ball bearings




Example 1:
This illustration clearly shows how the hand has to span a larger circumference around the pipe, as a result of which the carrier has less effect



Example 2:
An oval-shaped grip is ergonomically better, because it is more suited to the shape of a human hand. In addition, a vertical handle pipe shape results in a stronger structure, suitable for heavier loads.



All Matador® wheelbarrows are also available with:
• CT = puncture-proof tyre



- Tool wheelbarrow.
- Hinged undercarriage.
 - Double hinged lid.
 - Rectangular tray (dim. 90x50x43 cm) with handgrips.
 - One person can easily place the wheelbarrow into a van or trailer.
 - Easily Accessible in folded position or stacked.
 - Can be padlocked. (supplied without padlock).

(article nr. 11530)

M-106-CT-TILTING

PATENTED

- with puncture proof tyre
- Weight: 43,2 kg

(article nr. 11616)

M-106-L4-TILTING

PATENTED

- with pneumatic tyre
- Weight: 41,4 kg



- 2-wheeled toolkit wheelbarrow.

- More load power.
- More stability.
- Double hinged lid.
- Rectangular tray (dim. 90x50x43 cm) with handgrips.
- Can be placed easily in the van or wheelbarrow into a van or trailer.
- Easily Accessible in folded position or stacked.
- Can be padlocked. (supplied without padlock).

(article nr. 15092)

M-106-CT-KANT-2WI

PATENTED

- with puncture proof tyre
- Weight: 48,5 kg

(article nr. 12100)

M-106-L4-KANT-2WI

PATENTED

- with pneumatic tyre
- Weight: 44,9 kg



foldable and stackable



foldable and stackable



Can be opened while is folded



Avoids unnecessary lifting or emptying of the tool wheelbarrow

SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings (see detail C).
- Strong: pressed trays with rounded rims (see detail B).
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

Extra strong rectangular wheelbarrow K1



(article nr. 12324)

M-K1-L4

(with pneumatic tyre)

- Capacity: 90 liter
- Frame of 4 mm rectangular steel
- Welded with weldings of 1.25 mm thick
- With steel reinforcement in the beaded edge
- Wooden handgrips
- Standard 4ply pneumatic tyre
- Also available with puncture-proof tyre wheel

History:

This wheelbarrow is for just a few years ago made in Germany. Matador had the opportunity to get to the original manufacturer to take over the complete set of tools.

The production of this 100,000-fold proven transport is now resumed in the Netherlands. The basic design is unchanged, all parts fit on the old Kampa-car.

Improvements:

We have replaced the bearings by two double-sealed steel ball bearings. Instead of the wet green paint we use an environmentally-gray powdercoating



(article nr. 12409)
M-K1-CT
(with puncture proof tyre)

(article nr. 12410)

M-K1-BAK

(loose bin)

(article nr. 12420)

M-800-L4 10

(pneumatique 4ply)

(article nr. 12412)

M-800-CT 10

(puncture proof tyre)

(article nr. 12338)

M-K1-Handgrip

(wooden handgrip)

SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings.
- Strong: pressed trays with rounded rims.
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.
- Lean production.


Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



- (article nr. 14260)
M-151-CT.RED
• with puncture proof tyre
• weight: 18,6 kg
- (article nr. 14261)
M-151-BLOKPR.RED
• with pneumatic tyre
• weight: 16,8 kg

- WHEN TRUNDLE IS THE WRIST RIGHT AND NO MORE KINKED
- LARGER TRAY CAPACITY: 90 LITERS
- STRAIGHT LINED ROUND NOSE
- ERGONOMICALLY RENEWED TRAY (LESS LIFTING WEIGHT)
- THE CLEVER CONSTRUCTION MAKES EMPTYING EASIER (ARBOUW FRIENDLIER)
- STURDY BLOCK PROFILE TYRE FOR EXTRA GRIP



SPECIFICATIONS:

- TRAY**
- Vacuum drawn plastic tray 7mm (material HDPE, colour red).
 - Durable, sturdy and lightweight.
 - Very limited side expansion of loaded tray. Straight lined nosed tray, ensures greater stability while emptying.
 - During use, top of tray remains almost horizontal.
- FRAME**
- Stable frame with continuous legs in wide position for higher lateral stability.
 - Extra tray support.
 - Solid steel nose ring for protection and support.
 - Comfort: oval piping for a comfortable grip (see examples 1 and 2).

- WHEEL**
- Constructed with original Matador steel rim with double sealed ball bearings. (see detail B) With standard block profile air tyre.
- USE**
- When loaded, the weight to be lifted is 25% less than similar wheelbarrows.
 - Handles with higher lifting momentum (ergonomically better).
 - Good, stable weight distribution while wheeling loads.
- TARGET GROUPS**
- For intensive use.
 - Pavement workers.
 - Garden construction and maintenance.
- ARBOUW**
- Recommended by the Dutch Arbouw organisation. For extra information: www.arbouw.nl.
 - Satisfies the Health & Safety regulations for physical stress.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

DEMOUNTABLE WHEELBARROW (WHEELBARROW KIT) TYPE M-620


Ideal for export



Picture A:
Rounded rim



Example 1:
This illustration clearly shows how the hand has to span a larger circumference around the pipe, as a result of which the carrier has less effect



Example 2:
An oval-shaped grip is ergonomically better, because it is more suited to the shape of a human hand. In addition, a vertical handle pipe shape results in a stronger structure, suitable for heavier loads.



Detail B:
Steel rim, double sealed ball bearings



All Matador® wheelbarrows are also available with:
• CT = puncture-proof tyre

Natural rubber handles especially devised to the form of your hand



Galvanised tray

capacity 80 liter

4ply pneumatic tyre
Steel rim, double sealed ball bearings.
(See detail B)

(article nr. 13541) Container
M-620-CT.Z.C
• with puncture proof tyre
• weight: 15,1 kg

(article nr. 10940) Container
M-620-KL4.Z.C
• with pneumatic tyre
• weight: 15,1 kg

(article nr. 10938) Box
M-620-KL4.Z.K
• with pneumatic tyre
• weight: 15,1 kg



Box:
Per 50 pieces packed in seaworthy export cardboard



Container:
Per 900 pieces packed in seaworthy export container

20ft = 900 pieces



SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 doubly sealed ball bearings.
- Strong: rounded rim (see picture A).
- Comfort: oval piping for a more comfortable grip. (See example 1 en 2).
- Ergonomic: carefully balanced weight distribution.
- Can be completely disassembled.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

DISPLAY FOR WHEELBARROWS AND SPARE PARTS

NEW IN OUR
RANGE

2014
MODEL



article nr. 15382
M-DISPLAY MATADOR WHEELBARROWS
Display for the purpose of Matador wheelbarrows
(delivery without wheelbarrows)

Display assortment 1:

- article nr. 13684
M-970-Z RUBBER. SET
6 sets to 2 natural rubber handgrips
- article nr. 13686
M-970-Z MET KNOKKELB. SET
8 sets to 2 natural rubber handgrips
with knuckle prot
- article nr. 13690
KRUIWAGENBANDEN-SET
6 sets with wheelbarrow tire
(outdoor + inner tube) line profile 4ply air
- article nr. 11170
M-800-L4
10 x wheelbarrow wheel with pneumatic tire
- article nr. 11157
M-882
10x wheelbarrow inner tube
- article nr. 11189
M-800-CT
4x wheelbarrow tire puncture proof (CT)
- article nr. 13689
M10x16 ELVZ
5 sets to 2 bolts for wheelbarrow wheel
- article nr. 12941
M-GECKO-SNELSTELLER
15x Quick adjuster Gecko
- article nr. 14159
M-TREKHAAKSLOT
2x Bull-Lock loaddoor and trunk security



Display assortment 2:

- article nr. 13684
M-970-Z RUBBER. SET
6 sets to 2 natural rubber handgrips
- article nr. 13686
M-970-Z MET KNOKKELB. SET
8 sets to 2 natural rubber handgrips
with knuckle prot
- article nr. 13690
KRUIWAGENBANDEN-SET
6 sets with wheelbarrow tire
(outdoor + inner tube) line profile 4ply air
- article nr. 11170
M-800-L4
10 x wheelbarrow wheel with pneumatic tire
- article nr. 11157
M-882
10x wheelbarrow inner tube
- article nr. 11189
M-800-CT
4x wheelbarrow tire puncture proof (CT)
- article nr. 13689
M10x16 ELVZ
5 sets to 2 bolts for wheelbarrow wheel
- article nr. 14041
M-808-L4.25
5x handtruckwheel with pneumatic tire axle Ø25mm
- article nr. 12703
M-808-CT.25
2x handtruckwheel with puncture proof tire axle Ø25mm
- article nr. 13687
M-981-SET
2 sets to 2 Starlock covers + 2 nylon rings Ø20mm
To firm handtruck wheel
- article nr. 13688
M-982-SET
6 sets to 2 Starlock covers + 2 nylon rings Ø25mm
To firm handtruck wheel



article nr. 13584
M-DISPLAY MATADOR PARTS
Display for the purpose of Matador parts
(is without parts delivered)

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

WHEELBARROWS WITH RECTANGULAR POLYESTER TRAY

IDEAL FOR GARDEN USE OR FOR HORSE STABLES




Detail A
Wear pads




Detail B
4ply pneumatic tyre
Steel rim, double sealed ball bearings
Axle Ø 20mm
Axle length: 150mm
(order nr. 11170)



Detail C
Natural rubber handles especially devised to the form of your hand
(order nr. 11264)



Example 1:
This illustration clearly shows how the hand has to span a larger circumference around the pipe, as a result of which the carrier has less effect



Example 2:
An oval-shaped grip is ergonomically better, because it is more suited to the shape of a human hand. In addition, a vertical handle pipe shape results in a stronger structure, suitable for heavier loads.



All Matador® wheelbarrows are also available with:
• CT = puncture-proof tyre



(article nr. 12533)
M-140/160-CT
• with puncture proof tyre

(article nr. 10893)
M-140/160-L4
• with pneumatic tyre

- Capacity: 160 liter
- tray width 670 mm
- Galvanised frame
- Size: 1590 x 680 x 880 mm (lxwxh)

(article nr. 12534)
M-140/160-CT-2WI
• with puncture proof tyre

(article nr. 12150)
M-140/160-L4-2WI
• with pneumatic tyre

WINDOW WHEELBARROW



(article nr. 10923)

M-510-CT

- with puncture proof tyre
- Wheelbarrow for doors and window frames.
- 2-wheeled
- Load area 150x70 cm
- For transporting window frame boxes, bins, etc.
- Fantastic riding ability on uneven terrain.

(article nr. 10922)

M-510-L4

- with pneumatic tyre

SPECIFICATIONS OF MATADOR® WHEELBARROWS

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Easy running: with steel rim on 2 double sealed ball bearings (see detail B).
- Strong: pressed trays with rounded rims
- Comfort: oval piping for a more comfortable grip (see examples 1 and 2).
- Convenience: unique wheel plate for easy wheel replacement.
- Ergonomic: carefully balanced weight distribution.
- Completely welded frame.
- Lean production.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

RAMP GRIDIRON

PROTECTED MODEL

ARBOUW *voor gezond en veilig werken*

Recommended by Arbouw,
(The Health & Safety regulations
for construction industry)
see for more information:
www.arbouwriende.nl/kehulp/middelen.nl

DOUBLECOATED RAMP GRIDIRON

- Obstacles are bridged easily with or without a wheelbarrow.
- Broader than a beam or shelf (60 cm). Therefore safer.
- No residue of dirt, mud, etc. (drops through the holes).
- Does not become slippery, even when it rains or snows.
- Fits almost perfectly on all door frames, even when the door has been fitted.
- On both sides a varied angle so it can be placed on different obstacles, surfaces, i.e. foundations, frames, uneven scaffolding, containers and or trailers.
- Doublecoated with primer and lacquer, is extra corrosion resistant, therefore longer life.



Picture 1.
Practical situation:
Ramp gridiron safer
than siffls



Picture 2.
Practical situation:
Mid-ramp gridiron
trailer



Picture 3.
Practical situation:
Mid-ramp gridiron on threshold



Picture 4.
Practical situation:
Bridging with 2 ramp gridirons



Picture 5.
Practical situation:
Mid-ramp gridiron on foundation.




Picture 6, 7 en 8.
Practical situation:
Max-ramp gridiron on container



Picture 7.



Picture 8.



Technical specifications

Article nr.	Item nr.	Dead weight	Dimensions (LxWxH)	Load-capacity
13062	M-H-MINI	7,3Kg	500x600x30mm	200Kg
13063	M-H-MIDI	11,9Kg	1000x600x30mm	200Kg
13064	M-H-MAXI	24,5Kg	2000x600x40mm	200Kg

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

PROF-LINE CONCRETE MIXERS



- Prof-line.
- Special shaped double mixing knives.
- Solid construction, very stable and powerful.
- Reinforced mouth.
- Intelligent thermal protection.
- Easy lubrication of bearings and other moving parts.
- Double ball bearings in upper arm
- Double ball bearing on tub suspension
- Professional engines
- Cast iron sprocket
- Powerfull engine and reinforced steel frame.



(article nr. 13479)
M-CM130
CONCRETE MIXER 130 LITER
small midsize model for flexible professionals



(article nr. 13480)
M-CM150
CONCRETE MIXER 150 LITER
Professional mixer with brake



Lubrication point enginebearing



(CM130/150) (CM160/190)
Safe grounded Schuko/Euro plug



Lubrication point drumbearing



Steel cased motor unit with
waterresistant on / off button



(article nr. 13481)
M-CM160
CONCRETE MIXER 160 LITER
Full size professional mixer with brake



(article nr. 13482)
M-CM190
CONCRETE MIXER 190 LITER
Full size big professional mixer
Gearbox on tilting wheel

Technical specifications

Article nr.	Item nr.	Capacity drum	Maximum mixing capacity	Weight included engine	Total dimensions (LxWxH)	Dimensions wheels	El. motor power	Motor rpm	HP	Motor	Voltage
13479	M-CM130	130 Ltr	110 Ltr	51 kg	1170x665x1280 mm	Ø 250 mm	600 W	2800	0,82	open gear motor	220/240
13480	M-CM150	150 Ltr	128 Ltr	57 kg	1190x665x1350 mm	Ø 250 mm	700 W	2800	0,95	open gear motor	220/240
13481	M-CM160	160 Ltr	135 Ltr	76 kg	1270x750x1370 mm	Ø 250 mm	370 W	1400	0,5	transmission motor	220/240
13482	M-CM190	190 Ltr	160 Ltr	97 kg	1435x760x1390 mm	Ø 280 mm	550 W	1400	0,75	transmission motor	220/240

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



MATADOR®

MADE IN HOLLAND

NEW

MATADOR® KIDS WHEELBARROW



(article nr. 13736)
M-050



- Robust welded construction
- No corners and sharp edges
- Light running 4ply tires 250x60mm
- Environmentally gray powder coating
- Plastic handle

Dimensions:

Total length 100 cm

Tray 50 x 35 x 13 cm (LxWxH)

Handle height 35 cm

Weight 4,9Kg



MATADOR® SNOW SHOVEL



PACKING METHOD BY 250 PIECES

Snow shovel with stick
unassembled, packed in cardboard
box on euro pallet.



(Article no. 12262)
M-SNEEUWSCHEP
(without a stick)



(Article no. 12267)
M-SNEEUWSCHEP
(with stick)

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



DIMENSIONS:
Shovel: 450X250X1,5MM (LxhxI)
FINISH:
Matador® grey powder coated.
Suited for sticks Ø 28mm.

MATADOR®

MADE IN HOLLAND

BULL-LOCK

(article nr. 14159) **PATENTED**
M-TREKHAAKSLOT 2.0
Easier to use

NEW

2015
MODEL



ANTI THEFT

- SAFE
- SIMPLE
- RELIABLE



DELIVERY INCLUDED
DISCLOCK

FITS ON FOLLOWING VEHICLES:



Vito: (without step)
Sprinter: (with step on bumper)



Transporter
Crafter: (with step)
LT: (without step)



Traffic

RENAULT



Vivaro
Movano: (without step)

OPEL



Transit
Mondeo Station



H200 (without step)

HYUNDAI



Jumpy

CITROËN

(article nr. 15061)
M-DISPLAY Bull-Lock

Even with a common key lock available
(article nr. 14307)
M-TREKHAAKSLOT 2.0 GS

SPECIFICATIONS:

- Metal tow hook preventing any breaking and entering of (commercial) vehicles like vans, stationwagons, etc.

USE:

- Suitable for all vehicles with tow hook.
- Remains securely fitted on the hook while driving.

Colour:

Powdercoated in Matador red.

DIMENSIONS:

350x80x244mm (lxwxh)


DIMENSIONS OF HOOK FRAME:

80x80x250mm (lxwxh)

WEIGHT:

- 4,7Kg

RECOMMENDED BY:



insurance companies

DISCLOCK:

- Stainless body Ø 70mm
- Hard steel clasp Ø 10mm
- Theft repellent.
- Can withstand a force of 3 Tonnes.
- Standard supply of 2 keys.

TARGET GROUP:

- All clients wishing to secure back of their vehicles.
- Transporters.
- Maintenance mechanics.
- Sales representatives.

Fits all cars if:
Heart bullet to the door not less than 70mm
Distance from under the ball up to the bend is at least 20mm.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

STEERINGWAGON



Detail picture: tie rod



ACCESSORIES:

(article nr. 15037)

M-STEERINGWAGON STANCHIONS (Set of 4 stanchions)

Tube: L= 700 mm, Ø 42,4 mm (1 1/4")



(article nr. 13072)

M-STEERINGWAGON with pneumatic tyres • Weight: 70 Kg.



(article nr. 15038)

M-STEERINGWAGON-CT with puncture proof tyres • Weight: 77,2 Kg.

SPECIFICATIONS:

- Dimensions: 2000x1000mm (l x w)
- sheet thickness: 3mm
- Colour: Powdercoated in hammered gray (other RAL-colours on request)
- Wheels M-Schamelwagen (10620): 4x 4ply 16x4 400-8
- Wheels M-Schamelwagen CT (12218): 4x CT (lekvrij)

- Capacity:
 - M-Schamelwagen (13072): 1.000 Kg
 - M-Schamelwagen CT (15038): 500 Kg
- Supply:
 - With 4 stanchions holes. (Delivery excl. stanchions)
 - Accessories: Set of 4 stanchions

TARGET GROUP:
• For the building site



<http://www.youtube.com/watch?v=EW7gwpq54s>



Range: from 770 to 1100mm
Height: min. 850mm / max. 1190mm

Dim. platform 300x145 (wood)

PALLET-MOVER

PATENTED

NEVER LUG WITH PALLETS ANYMORE

(article nr. 12492)
M-PALLETMOVER



relieves the spine

USE SPECIFICATIONS:

For easy transportation of pallets from floor or stack.

THE PALLET-MOVER IS:

- Stunningly simple.
- Enormously flexible.
- Exonerating for the back (OH friendly)
- Vast maneuverable by self-steering double ball bearing wheels.
- A must for every pallet handler.

SPECIFICATIONS:

- Quality: Advanced level of the computerization production process guarantees the renowned Matador® quality.
- Environment: The pallet mover has a sustainable powder coating (no solvents, i.e. the least environment-friendly).

TARGET GROUP/APPLICATION:

- Containers, warehouses, machine centers, loading docks, workshops, small spaces, trucks, return, aisles, floors, elevators, production, etc.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

SUPERHOND

PATENTED

ROUGH TERRAIN TURNTABLE TRUCK

ARBOUW voor gezond en veilig werken

Recommended by Arbow,
(The Health & Safety regulations
for construction industry)
see for more information:
www.arbovriendelijkehulpmiddelen.nl



Reinforced pipes for luggage rails or adapters.



Platform with profiled anti-slip surface.




Push button handle sunk into platform.

Single handed push button handling.



Ergonomic natural rubber handgrips.



Health, safety and ergonomics mark requested

(article nr. 12255)

M-SUPERHOND-CT
with puncture proof tyres

(article nr. 14082)

M-SUPERHOND-LB
with pneumatic tyres

ACCESSORIES:

(article nr. 15004)

M-SUPERHOND ZIJHEK / ACHTERHEK
One Luggage Bracket (side/back bracket)



SPECIFICATIONS:

- The Superhond is a smart, neat flat fitting transporter.
- The Superhond goes easily through door openings.
- The Superhond turns on its own axis (minimal turn and maximal manoeuvrability).
- The Superhond has a low push and pull strain.
- The Superhond can take any curb or doorway up to 8cm.
- The Superhond has side grips making it easy to lift and store. These grips can also be used to attach tightening belts.
- The Superhond has fitted holes for placing luggage rails.
- Handle is sunk into the platform.
- Handle has 2 natural rubber handgrips.

Wheels:

- 6 pneumatic tires: ideal for rough terrain.
- 2 middle wheels are lowered shortening the turn.

- Dimensions Superhond: 985x640x350mm (lwxwxh)
- Length handle: 870mm
- Weight: 23Kg.
- Capacity: 250Kg.
- Dimensions wheels: Ø260x85mm As Ø25mm

TARGET GROUP:

- Furniture removals / Piano transport, Handling branch / Interior build, Furniture and professional freight transport, Installation and insulation branch, household equipment f.i. televisions, washing machines, dryers, computers. Kitchens and bathrooms.
- Customer Removals.

ACCESSORIES:

- M-Superhond Side and back bracket
- M-Superhond Tirebracket for cartires

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

SHEET TROLLEY

(article nr. 12326)

M-PLATENWAGEN

- Solid sheet trolley.
- Powdercoated in hammered gray.
- Flat piping for better weight distribution.
- Oval ergonomic natural rubber handles.
- Solid rubber tires with roller bearings Ø 200 mm.
- axle Ø 20mm.
- Dimensions platform: 820x378mm (lxb)
- Dimensions: 1900x546x1300mm (lwxhx)
- Capacity: 350 kg.
- weight: 15 kg.

Natural rubber handles especially devised to the form of your hand



500
Kg MAX.
load capacity

(article nr. 11045)

M-PLATENWAGEN

- Solid sheet trolley.
- Powdercoated in hammered gray.
- 2 swivel wheels, 2 rigid wheels Ø 200 mm.
- axle Ø 20mm.
- Dimensions platform: 1500x378mm (lxb)
- Dimensions: 1500x680x1200mm (lwxhx)
- Capacity: 500 kg.
- weight: 43 kg.

(article nr. 13954)

M-PLATEAUWAGEN HEAVY DUTY

- Solid platform truck with brakes.
- Powdercoated in hammered gray.
- 2 swivel wheels, 2 rigid wheels Ø 200 mm.
- Dimensions platform: 1343x748mm (lxb)
- Dimensions: 1370x800x849mm (lxbhx)
- Capacity: 500 kg.
- Weight: 35 kg.



(article nr. 13953)

M-PLATEAUWAGEN MET ZIJHEKKEN

- Solid platform truck with two side rails.
- Powdercoated in hammered gray.
- 2 swivel wheels, 2 rigid wheels Ø 160 mm.
- Dimensions platform: 1218x558mm
- Dimensions: 1260x600x745mm (lxbhx)
- Spacing bars side rails: 276,5mm
- Capacity: 500 kg.
- Weight: 30 kg.



Technical changes reserved

MATADOR®

MADE IN HOLLAND

TIMBER TROLLEY

300
Kg MAX.
load capacity

- No more carrying
- Easy to move
- Light and handy



(article nr. 14187)
M-TIMBER TROLLEY 70mm-CT
with puncture proof tyres

(article nr. 14042)
M-TIMBER TROLLEY 70mm-LB
with pneumatic tyres

(article nr. 14185)
M-TIMBER TROLLEY 125mm-CT
with puncture proof tyres

(article nr. 12698)
M-TIMBER TROLLEY 125mm-LB
with pneumatic tyres

(article nr. 14186)
M-TIMBER TROLLEY 170mm-CT
with puncture proof tyres

(article nr. 12699)
M-TIMBER TROLLEY 170mm-LB
with pneumatic tyres

SPECIFICATIONS:

- Article nr. 14042: • Dimensions Timber trolley (width incl. wheels):
14187: 390x310x350mm (lxwxh)
• Weight: 4,7Kg
- Article nr. 12698: • Dimensions Timber trolley (width incl. wheels):
14185: 390x365x350mm (lxwxh)
• Weight: 7Kg
- Article nr. 12699: • Dimensions Timber trolley (width incl. wheels):
14186: 390x410x350mm (lxwxh)
• Weight: 7Kg

Capacity: 300 kg

- Colour: Powdercoated in Matador gray
- Inside the clamp is fitted with felt, this prevents damaging any materials that need to be moved.


- Wheels: 2x M-808-L-As.20 ø260mm

Target group:

- Suitable for anyone having to move pannels, doors, etc.
- Transporting companies.
- Door and pannel distributors



Finish with rubber stops



additional reinforcement through cross connection

CARPET CARRIER



(article nr. 13080)
M-CARPET CARRIER MTR-1

500
Kg MAX.
load capacity

SPECIFICATIONS:

- Dimensions carrier (width incl. wheels): 750x575x421mm (lxbxh)
- Dimensions carrier (width excl. wheels): 750x400x421mm (lxbxh)
- Colour: Powdercoated in Matador gray (other RAL-colours possible)
- Weight: 17Kg
- Capacity: 500Kg

- Wheels: 2x 4ply 16x4 400-8

APPLICATION:

- For carpets and bundles.

TARGET GROUP:

- Carpet branch
- Carpet producers
- Carpet transporters
- Interieur decorators

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

THE CARRIER BELT Ergonomic carrying comfort

(article nr. 13098)

PATENTED

ARBOUW voor gezond en veilig werken

Recommended by Arbow,
(The Health & Safety regulations
for construction industry)
see for more information:
www.arbovriendelijkehulpmiddelen.nl

health, safety and ergonomics mark



The Matador Carrier Belt feature the quality mark
vhp ergonomics



Carrying things has never been so easy!
Saves your back!




Used by:

- Workers on the building site.
- Builders.
- Professional movers.
- Storage workers.
- Employees transport companies
- Production workers.
- Employees hire companies.
- Agricultural workers.
- Harbour personnel.



The carrier Belt
saves your back!



Proven to reduce the risk of back problems.

SPECIFICATIONS:

- Material: Cordura (Dupont), nylon 390D/steel
- Weight: 0,5kg
- L= min 900 mm / max 1750 mm
- Capacity: 23 kg (legally permitted maximum weight)

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

STEPPLATFORM " THE STEP-UP "

PATENTED

The safe lift aid for all lifting above 1.80m

Fullfills the EN-norm:
NEN-EN 14183:2004
NEN-EN 1005-1:5

health, safety and ergonomics mark



The Matador Stepplatform feature the quality mark
vhp ergonomics



Developed in cooperation with
VHP ergonomics
Accredited by the
Labour inspection




Railing for
supporting
the hips.

Passes with ease
through narrow
doorways
and corridors.



Safe lifting
above 1.80m.
Maximum pallet
height 2.40m



No sharp corners

PR-ZW-4"/PL
Prestar swivel castor 4□ .
Dimensions wheel Ø100mm.
Polypropylene.
High quality bearings.
Silent.



2.40m

1.80m

220
Kg MAX
load capacity

Antislip floor
(Deep ribbed plate)

STAINLESS STEEL
AVAILABLE
ON REQUEST

(article nr. 13047)
STEPPLATFORM

Swivel wheels
4 wheels (under every corner 1).
These secure the platform as soon
as you step on it.

SPECIFICATIONS:

USE SPECIFICATIONS:

- Safe aid for lifting crates to and from pallets higher than 1.80m.
- Maximum pallet height: 2.40m
- Lightening of physical burdens.
- Accommodate with dualcoated railing for supporting the hips.
- Antislip floor of aluminium deep ribbed plate.
- Easy to move due to smooth working ball bearings swivel wheels.
- The Step-up becomes fixed to the ground as soon as you step on it.

TECHNICAL SPECIFICATIONS:

- Dimensions:
Dimension 1e step: 790x790x200mm (wxdxh).
Dimension 2e step: 495x495x200mm (wxdxh).
Railing: 550x550x1170mm (wxdxh).
- Is made of Aluminium/steel
- Weight 48Kg.
- Capacity: 220Kg.
- Non-marking Polypropylene swivel castors with High quality bearings Dim. ø100mm.

TARGETGROUP:

- For everyone who has to lift above 1.80m.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN USA

WESCO®

HANDTRUCKS



(article nr. 11549)

W-WRV-66 Vending machine handtruck

- Steel vending machine and American refrigerator handtruck for large loads.
- Finished in red epoxylacquer.
- Retractable moving aid with 90mm moldon rubber swivel wheels.
- Belt with automatic reversing mechanism for securing load.
- Distance from plate to belt 72cm.
- Dimensions plate: W600 x D127 mm.
- Heavy Ø200mm. moldon rubber wheels with wrought iron rims and bearings.
- Caterpillar wheels for stair transport.
- Dimensions: H1700 x W610 x D368 mm.
- Capacity: ca. 500Kg.
- Weight: 37 kg.



ACCESSORIES:

(article nr. 12072)

W-NE-28 Steel nose


- extension option
- Dimensions: 30,5x71cm (lxw)



(article nr. 11550)

W-150800

- Lightweight, portable ramp
- Allows for easy movement up and down curbs.
- Dimensions: 60x55x15cm (lxwxh)
- Capacity 270 kg.
- Weight 3,2 kg.
- With integrated handles




Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

Innovative Transportmobil

CLAX

MADE IN GERMANY



FOLDABLE
super fast foldable
by push button
on handle



M-CLAX FOLDING BOX
(article nr. 12951)

M-CLAX TROLLEY
(article nr. 12950)
(with folding box)



FOLDING BOXES & BEVERAGE CASES
To transport industrial folding boxes, beverage cases - and much, much more.
The 40 liter folding box in classic design - extra large and extra sturdy.



FLEXIBILITY
Tilting upwards the upper tray allows for easy transport of bulky items.

USE ON STEPS
The use on steps is made easy through self-contained rear wheels.

EASY TO USE
Movable steering axis allow mobility.

BRAKING SYSTEM
Simple and safe - with one click on the locking device.

SPECIFIKATIONS:

- Upper tray: suitable for industrial foldingboxes 32 or 46 Liters
- Lower tray: suitable for industrial folding boxes 32, 46 or 60 Liters or 2 beverage cases
- Measurements: Folded up 55x19x71 cm
assembled wheels: 55x18x71 cm
disassembled wheels: 47x11x67 cm
- Weight: 6,7 Kg. (without folding box)
- Max load capacity: Upper tray: 20 Kg.
Lower tray: 40 Kg.

TRANSPORT TROLLEY EX-1A



EX-1A folded



(article nr. 11311)
EX-1A:
Push trolley.
• Folding.
• Extra high pushbar (max. 930mm).
• 2 swivel castors.
• 2 rigid castors.
• Loading capacity: approx. 150 kg.
• Platform dimensions adjustable in 4 positions:
530 x 440 mm,
610 x 440 mm,
680 x 440 mm,
750 x 440 mm.
• Weight: 7,3Kg.

Subject to technical changes

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

FOLDING HANDTRUCKS EX-GH SERIES



Pushbutton for quick unfolding or folding of the handtruck.



Pushbutton for quick unfolding or folding of the wheels and handtruck.

EX-GH COMPACT TRANSPORTER:

- Lightweight aluminium handtruck.
- Can be folded to an unrivalled flat package.
- Pushbutton to quickly turn a handtruck into a compact package.
- The wheels have roller bearings.
- Available in the following versions: EX-GH50, EX-GH80, EX-GH125, EX-GH250.

NEW EX-GH150



(article nr. 11320)
EX-GH50

50
Kg MAX.
load capacity



(article nr. 11321)
EX-GH80

80
Kg MAX.
load capacity



(article nr. 11318)
EX-GH125

125
Kg MAX.
load capacity



(article nr. 15034)
EX-GH DUBBEL-DISPLAY

NEW



Very compact, only 6cm thin



Safe handgrip



orange pushbutton

roundness for transportation of barrels / bottles

(article nr. 13703)
EX-GH150
PROTECTED MODEL

150
Kg MAX.
load capacity



Elastic strap

TPR-tyre

wheel equipped with ball bearings

foot support for easy tilting

(article nr. 11319)
EX-GH250

250
Kg MAX.
load capacity



Technical specifications

Article nr.	Item nr.	Weight	Dimensions plate (wxd)	Afmetingen ingeklapt	Afmetingen uitgeklaapt	Capacity	Dimensions wheels	Elastic strap	Packaging unit	Wheels
11320	EX-GH50	3,2Kg	380x320mm	390x50x595mm	390x430x1030mm	50Kg	127mm (4")	yes	4 pieces	solid rubber
11321	EX-GH80	4,4Kg	490x320mm	488x64x765mm	488x500x1070mm	80Kg	178mm (7")	yes	4 pieces	solid rubber
11318	EX-GH125	5,2Kg	490x320mm	488x64x765mm	488x500x1090mm	125Kg	178mm (7")	yes	4 pieces	solid rubber
11319	EX-GH250	12,8Kg	590x450mm	660x135x855mm	660x650x1190mm	250Kg	222mm (8,75")	yes	1 piece	pneumatic
13703	EX-GH150	5,5Kg	490x330mm	500x60x780mm	500x490x1110mm	150Kg	178mm (7")	yes	4 pieces	TPR

Technical changes reserved


Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

THE NST-SERIES

(PROTECTED MODEL)



- Handtruck with fixed plate.
- Powdercoated in hammered gray.
- Oval ergonomic natural rubber handles.
- Flat piping for better weight distribution.
- Plate and wheelcover made in ST.52.
- Hollow back for use with barrels and (gas) bottles (M-NST-150)
- More stability due to extra wide wheel base (M-NST-200)
- (Crates/boxes) Handtruck with fixed tapering plate (M-NST-250)
- (Crates) Handtruck with fixed plate (M-NST-300)



(article nr. 12337)

M-970-Z WITH KNUCKLE PROTECTION
(Safety handle)

Technical specifications:

Article nr.	Item nr.	Tyre	weight	Dimensions plate (wxd)	Capacity	Dimensions wheels	Total height	Total width	Total depth	Axle	Wheels	Safety handle
14048	M-NST-100-L	Luchtband	10Kg	425x148mm	200Kg	260x85mm	1191mm	425mm	430mm	Ø 25	M-808-L	
14051	M-NST-100-V	Volgummi	12,6Kg	425x148mm	200Kg	250x60mm	1191mm	425mm	430mm	Ø 25	M-813-V	
14052	M-NST-100-CT	Lekvrij	10Kg	425x148mm	200Kg	260x85mm	1191mm	425mm	430mm	Ø 25	M-808-CT	
13035	M-NST-150-L	Pneumatic	10,4Kg	280x225mm	280Kg	260x85mm	1075mm	490mm	485mm	Ø 25	M-808-L	yes
13036	M-NST-150-V	Solid rubber	13Kg	280x225mm	280Kg	250x60mm	1075mm	490mm	485mm	Ø 25	M-813-V	yes
13037	M-NST-150-CT	Puncture proof	10,4Kg	280x225mm	280Kg	260x85mm	1075mm	490mm	485mm	Ø 25	M-808-CT	yes
13032	M-NST-200-L	Pneumatic	13,4Kg	400x157mm	350Kg	260x85mm	1100mm	585mm	450mm	Ø 25	M-808-L	yes
13033	M-NST-200-V	Solid rubber	16Kg	400x157mm	350Kg	250x60mm	1100mm	585mm	450mm	Ø 25	M-813-V	yes
13034	M-NST-200-CT	Puncture proof	13,4Kg	400x157mm	350Kg	260x85mm	1100mm	585mm	450mm	Ø 25	M-808-CT	yes
13038	M-NST-250-L	Pneumatic	15,8Kg	285x240mm	350Kg	260x85mm	1376mm	505mm	500mm	Ø 25	M-808-L	yes
13039	M-NST-250-V	Solid rubber	18,4Kg	285x240mm	350Kg	250x60mm	1376mm	505mm	500mm	Ø 25	M-813-V	yes
13040	M-NST-250-CT	Puncture proof	15,8Kg	285x240mm	350Kg	260x85mm	1376mm	505mm	500mm	Ø 25	M-808-CT	yes
13041	M-NST-300-L	Pneumatic	14,4Kg	285x240mm	350Kg	260x85mm	1380mm	505mm	500mm	Ø 25	M-808-L	yes
13042	M-NST-300-V	Solid rubber	17Kg	285x240mm	350Kg	250x60mm	1380mm	505mm	500mm	Ø 25	M-813-V	yes
13043	M-NST-300-CT	Puncture proof	14,4Kg	285x240mm	350Kg	260x85mm	1380mm	505mm	500mm	Ø 25	M-808-CT	yes

Technical changes reserved


Matador B.V.
Torenstraat 29 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

M-NST-XL - XXL

SPECIAL CONSTRUCTION HAND TRUCKS FOR HEAVY WORK




Special construction of oval tube.
This type of tube guarantees much more stability
both during the run with the tilting of the hand truck
as compared to conventional tubular structure.

SPECIFICATIONS:

- The fixed plate is made in ST 52 and has an angle of almost 90°.
- Plate and wheelcover made in ST.52.
- Oval ergonomic natural rubber safety handles. (warm in winter, absorptive in summer).
- Powdercoated in hammered gray.
- Environment: all models have a sustainable powder coating (no solvents, i.e. the least detrimental to the environment).
- Horizontal reclining.

THE NST-SERIES WITH FOLDABLE PLATE



(article nr. 12337)
M-NST-FIT
safety handle

Matador B.V.
Torenstraat 29 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

- Powdercoated in hammered gray.
- Oval ergonomic natural rubber safety handles.
- Oval tube guarantees much more stability
- Plate and wheelcover of ST.52, 3mm.

(article nr. 14258)

M-NST400-CT

- Hand truck with fixed and foldable plate
- puncture proof tyres 260 x 85 mm.

(article nr. 12605)

M-NST400-L

- Hand truck with fixed and foldable plate
- 4ply pneumatic tyres 260 x 85 mm.

(article nr. 12608)

M-NST400-V

- Hand truck with fixed and foldable plate
- solid rubber tyre 250 x 60 mm.

MATADOR®

MADE IN HOLLAND

WHEELTRUCK

For easy movement of tires or wheels.

Equipped with ergonomic rubber safety handles with knuckle protection



Place grabbers under the tires



Closing the grabbers



After tilting you can cart the truck

Oval ergonomic natural rubber safety handle



(article nr. 12337)

M-970-Z WITH KNUCKLE PROTECTION
Safety handle

200
kg MAX.
load capacity

(article nr. 15334)

M-BANDENSTEEKWAGEN
With fixed axle
Achievement with 4-ply tires

SPECIFICATIONS:

- 4-ply pneumatic tires \varnothing 260x85mm.
- Plastic rim with roller bearing
- Load capacity 200 kg.
- Overall height 1660 mm.
- Overall width 660 mm.
- Dimensions grabbers 530/980 x 480 mm (WxD).
- Weight 25 kg.



LASKAR®

PATENTED

(article nr. 11329)

M-LK-V LASKAR

- Ideal for smaller companies with multiple welding equipment.
- The ingenious bracket saves the gas bottle if it falls.
- Welding equipment and bottle all on one truck, close at hand.
- Plate for transformer is adjustable.
- Axle \varnothing 25mm.
- Solid rubber tyres (M814).



All Matador® handtrucks have pneumatic tyres as standard.
Handtrucks are also available with solid rubber tyres

Technical changes reserved

Matador
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

CYLINDER TRUCKS AND STORAGE

NEW

MODUMAT® GAS CYLINDER LIFTER

- The Gas cylinder lifter saves the back, so Health & Safety friendly
- Safe solution for the transport of your gas cylinders.
- With one simple movement you can lift the gas cylinder onto the welding transformer.
- Safe for man and machine.
- Welding cables are no longer damaged by gas cylinders rolling over them.
- The Gas Cylinder is available with pneumatic, solid rubber and puncture-proof tires.

Image not available

(article nr. 11110)
M-MOD-FH
Gas cylinder lifter 100kg, Modumat



(article nr. 12189)
M-GFW110
Cylinder truck 1X10L
Suitable for one 10 liter gas cylinder



(article nr. 12190)
M-GFW210
Cylinder truck 2X10L
Suitable for 2 gas cylinders of 10 liters



(article nr. 12191)
M-GFW105
Cylinder truck 1X10,5L
Suitable for one cylinder of 10.5 kg



(article nr. 12193)
M-GFW120
Cylinder truck 1X20L
Suitable for one cylinder of 30 liters



(article nr. 12194)
M-GFW220
Cylinder truck 2X30L
Suitable for 2 gas cylinders of 30 liters



(article nr. 12285)
M-GFW250
Cylinder truck 2X50L
Suitable for 2 gas cylinders of 50 liters



(article nr. 12192)
M-GFW150
Cylinder truck 1X50L
Suitable for one cylinder of 50 liters



(article nr. 14004)
EM-GASOPSLAG EM6
Gas cylinder storage for 6 bottles
Suitable for up to 6 bottles Ø 30cm



(article nr. 14010)
EM-GASOPSLAG EM12
Gas cylinder storage for 12 bottles
Suitable for up to 12 bottles Ø 30cm



(article nr. 13090)
EM-GASOPSLAG EM18
Gas cylinder storage for 18 bottles
Suitable for up to 18 bottles Ø 30cm



(article nr. 13089)
EM-GASOPSLAG EM30
Gas cylinder storage for 30 bottles
Suitable for up to 30 bottles Ø 30cm

Technical changes reserved

Matador
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

PLATFORM TRUCK EDCAR

NEW



300
Kg MAX.
load capacity



(article nr. 14242)

M-EdCar platform truck

2014
MODEL

health, safety and ergonomics mark



The Matador EdCar feature the quality mark vhp ergonomics



Zwenkwiel met rem



Bokwiel

- The Matador Edcar allows you to take good work habits while pushing and pulling and ensures that variation in posture.
- The position of the hands, in combination with the interchangeable elevation and attitude on the handle contributes to a significant extent.
- Pushing and pulling the Matador Edcar meets the standards of Mital et al (1997), even when pushing / pulling the maximum load of 300 kg.
- The Matador Edcar is equipped with 2 rigid wheels and 2 swivel wheels, also a foot brake on one of the swivel wheels.

TROLLEY EDCAR

NEW



300
Kg MAX.
load capacity



(article nr. 14243)

M-EdCar trolley

2014
MODEL

health, safety and ergonomics mark



The Matador EdCar feature the quality mark vhp ergonomics


Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

PLATFORM TRUCKS THE ONE AND ONLY, MADE IN JAPAN



METAL NB-SERIES, METAL NF-SERIES, METAL NG-SERIES, METAL FL-SERIES.

- Beige coated models
- Non-marking wheels
- Safety/protection covers
- Double finish-painted bottom plate
- High handle
- Low start resistance
- Low-noise wheels
- High quality ball bearings
- Anti-skidding mat
- Non-marking bumper
- Handle can be ordered separately




Technical specifications

Article nr.	Item	Weight	Capacity	Dimensions platform	Total height	Platform height	Pushbar height	Folded height	Dimensions wheels
11361	PR-NB-100P	10Kg	150Kg	740x480mm	140mm	140mm	n.v.t.	n.v.t.	100mm (4")
11362	PR-NB-101P	12,3Kg	150Kg	740x480mm	1060mm	140mm	920mm	180mm	100mm (4")
11368	PR-NF-301P	21,5Kg	300Kg	920x610mm	1200mm	210mm	990mm	310mm	130mm (5")
11460	PR-NF-HP301	21,5Kg	300Kg	920x610mm	1200mm	210mm	990mm	310mm	130mm (5")
11342	PR-FL-361-P	28,5Kg	300Kg	1210x610mm	1100mm	210mm	990mm	310mm	130mm (5")
11372	PR-NG-401-8	42,3Kg	500Kg	1240x790mm	1330mm	290mm	1040mm	395mm	200mm (8")

Technical changes reserved


Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

PLATFORM TRUCKS (PP)



(article nr. 11377)
PR-PB-100P

150
Kg MAX.
load capacity



(article nr. 11378)
PR-PB-101CP

300
Kg MAX.
load capacity

(article nr. 11380)
PR-PF-301CP



(article nr. 15086)
PR-MP-101BL-P

100
Kg MAX.
load capacity

PLASTIC PB AND PF SERIES (POLYPROPYLENE)

- Lightweight.
- Extra strong and durable platform.
- Non-marking wheels.
- Safety covers on hinges.
- High pushbar.
- Low start resistance.
- Low-noise wheels.
- High-quality ball bearings.
- Anti-skidding platform.
- PB-101 completely assembled.
- GS-TÜV quality mark.
- Beige coated pushbar.



(article nr. 12046)
PR-REM-PB, brake set for PB-serie
(article nr. 12047)
PR-REM-PF, brake set for PF-serie



safety protection caps on the hinges



PR-PB underside platform with rigid wheels



PR-PB underside platform with swivel wheels

NEW

2014
MODEL

(article nr. 13829)
PR-MULTADOR BOVENBL.
Multador worktop complete
(Multador worktop mounted on PR-PF 301CP)



safety protection caps on the hinges (see detail A)

Prestar mini platform truck/dolly MP-101BL-P

- Polypropylene
- Robust platform truck.
- Extra strong and durable platform.
- Foldable pushbar.
- Comfortable pushbar height of 870mm.
- Because of the well considered foldable construction also usable as a dolly.
- Multifunctional usable.
- Non-marking wheels.
- Ideal for the office environment.
- Beige coated pushbar.



Technical Specifications

Article nr.	Item nr.	Weight	Capacity	Dimensions	Total height	Platform height	Pushbar height	Pushing resistance	Dimensions wheels
11377	PR-PB-100P	5,5Kg	150Kg	710x450mm	170mm	170mm		2,6Kg	100mm (4")
15086	PR-MP-101BL-P	5Kg	100Kg	600x385mm	1130mm	128mm	870mm	2,6Kg	78mm (3")
11378	PR-PB-101CP	9,5Kg	150Kg	710x450mm	1150mm	146mm	1050mm	2,6Kg	100mm (4")
11380	PR-PF-301CP	14,5Kg	300Kg	900x600mm	1220mm	170mm	1090mm	3,7Kg	130mm (5")

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

PLATFORM TRUCKS

Recyclable P.P.




JC100-SET 2PCS
(article nr. 13243)
(per 2 pieces packed)



- Lightweight.
- Platform made of strong recyclable P.P.
- 2 Rubber skids avoid load-drop
- High pushbar.
- Beige coated pushbar.
- Low start resistance.
- 4 swivel nylon castors.
- Low-noise wheels.
- Non-marking wheels.



(delivery without pushbar)



JC150-GSS
(article nr. 13242)
(delivery without pushbar)



Technical specifications

Article nr.	Item nr.	weight per piece	Dimensions	Capacity	Dimensions wheels	Platform height	Pushbar height	in pack
13243	JC100-SET 2PCS	2 Kg	435x305 mm	100 Kg	50 mm	88 mm		2 pieces
13242	JC150-GSS	4 Kg	680x400 mm	150 Kg	75 mm	143 mm		1 piece
13361	JC150-Pushbar	1 Kg	430x26x760 mm				900 mm	

Subject to technical changes.

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

SHELF TROLLEYS THE ONE AND ONLY, MADE IN JAPAN



(article nr. 11381)
PR-REM-NB, brake set for NB-series
(article nr. 11382)
PR-REM-NF, brake set for NF-series



(article nr. 11363)
PR-NB-104P

150
Kg MAX.
load capacity



(article nr. 11364)
PR-NB-105P

METAL NB-SERIES, METAL NF-SERIES

- Beige coated models
- Non-marking wheels
- Safety/protection covers
- Double finish-painted bottom plate
- High handle
- Low start resistance
- Low-noise wheels
- High quality ball bearings
- Anti-skidding mat
- Non-marking bumper
- Handle can be ordered separately
- Simple to construct, only 4 bolts



(article nr. 11369)
PR-NF-304P

300
Kg MAX.
load capacity



(article nr. 11370)
PR-NF-305P

150
Kg MAX.
load capacity



(article nr. 11365)
PR-NB-107P

150
Kg MAX.
load capacity



(article nr. 11366)
PR-NB-127P

300
Kg MAX.
load capacity



(article nr. 11371)
PR-NF-307P

Technical specifications

Article nr.	Item nr.	Weight	Capacity	Dimensions platform	Total height	Platform height	Pushbar height	Dimensions wheels	Mesh wall height	Distance platforms
11363	PR-NB-104P	17,5Kg	150Kg	740x480mm	1060mm	140mm	920mm	100mm (4")		560mm
11364	PR-NB-105P	23Kg	150Kg	740x480mm	1060mm	140mm	920mm	100mm (4")		266mm
11365	PR-NB-107P	20Kg	150Kg	740x480mm	1060mm	140mm	920mm	100mm (4")	520mm	
11366	PR-NB-127P	24,5Kg	150Kg	740x480mm	1120mm	140mm	980mm	100mm (4")	160mm	830mm
11369	PR-NF-304P	30Kg	300Kg	920x610mm	1330mm	210mm	990mm	130mm (5")		540mm
11370	PR-NF-305P	40,5Kg	300Kg	920x610mm	1330mm	210mm	990mm	130mm (5")		270mm
11371	PR-NF-307P	30Kg	300Kg	920x610mm	1200mm	210mm	990mm	130mm (5")	520mm	

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

SERVICE CARTS

WITH PP - FIBERGLASS SHELVES



(article nr. 12479)
HX-808E BLACK



(article nr. 12508)
HX-808E-3 WHITE



(article nr. 12480)
HX-808A BLACK



(article nr. 12509)
HX-808A-3 WHITE



(article nr. 12481)
HX-808LE BLACK



(article nr. 12523)
HX-808LE-3 WHITE



(article nr. 12482)
HX-808LA BLACK



(article nr. 12517)
HX-808LA-3 WHITE



(article nr. 12483)
HX-909B-2L BLACK

SERVICE CARTS HX-SERIE

- Aluminum frame
- The shelves are made of PP+Fiberglass
- Shelves resists temperatures of 140.5°C-minus 20°C
- The testing methods are according to ISO and ASTM-Norm
- Non-marking castors
- Castors with ball bearings
- Castors are made of TPR (thermoplastic rubber)
- Castors resists temperatures of 90°C-minus 20°C
- Capacity complete cart 250Kg



(article nr. 12486)
HX-818D1 BLACK

Technical specifications

Article nr.	item	Weight	Capacity per shelf	Dimensions (LxBxH)	Number of shelves	Dimensions platform	Distance platform	Material frame	Dimensions castors	Color
12479	Service cart HX-808E	9Kg	125Kg	850x480x950mm	2	680x450mm	553mm	aluminium	4" (4 swivel, 2 with brake)	black
12508	Service cart HX-808E-3	9Kg	125Kg	850x480x950mm	2	680x450mm	553mm	aluminium	4" (4 swivel, 2 with brake)	white
12480	Service cart HX-808A	11,5Kg	80Kg	850x480x1000mm	3	680x450mm	275mm	aluminium	4" (4 swivel, 2 with brake)	black
12509	Service cart HX-808A-3	11,5Kg	80Kg	850x480x1000mm	3	680x450mm	275mm	aluminium	4" (4 swivel, 2 with brake)	white
12481	Service cart HX-808LE	15Kg	125Kg	1100x520x950mm	2	915x520mm	553mm	aluminium	4" (4 swivel, 2 with brake)	black
12523	Service cart HX-808LE-3	15Kg	125Kg	1100x520x950mm	2	915x520mm	553mm	aluminium	4" (4 swivel, 2 with brake)	white
12482	Service cart HX-808LA	19Kg	80Kg	1100x520x1020mm	3	915x520mm	275mm	aluminium	4" (4 swivel, 2 with brake)	black
12517	Service cart HX-808LA-3	19Kg	80Kg	1100x520x1020mm	3	915x520mm	275mm	aluminium	4" (4 swivel, 2 with brake)	white
12483	Service cart HX-909B-2L	18,5Kg	125Kg	850x480x950mm	2	680x450mm	553mm	aluminium	4" (4 swivel, 2 with brake)	black
12486	Service cart HX-818D1	21Kg	80Kg	850x480x1000mm	3	680x450mm	275mm	aluminium	4" (4 swivel, 2 with brake)	black

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

SERVICE CARTS WITH PP - FIBERGLASS SHELVES ACCESSORIES



(article nr. 12487)
**Waste bin
HX-808U
Material: PE**



(article nr. 12488)
**Waste bin small
HX-808US
Material: PE**



(article nr. 12490)
**Waste bin
HX-808U-3 WHITE
Material: PE**



(article nr. 12516)
**Waste bin small
HX-808US-3 WHITE
Material: PE**



(article nr. 12489)
Anti slip matting HX-ANTISLIP

Technical specifications

Article nr.	item	Weight	Dimensions (LxBxH)	Material frame	Color
12487	Waste bin HX-808U	1Kg	350x240x470mm	PE	black
12490	Waste bin HX-808U-3	1Kg	350x240x470mm	PE	white
12488	Waste bin small HX-808US	0,3Kg	350x240x200mm	PE	black
12516	Waste bin small HX-808US-3	0,3Kg	350x240x200mm	PE	white
12489	Anti slip matting HX-ANTISLIP		850x480mm		black

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



(article nr. 11386)
PR-SC-S



(article nr. 11384)
PR-SC-N



(article nr. 11385)
With brake (PR-SC-NS).

Nestable (N) or stackable (S) slim trolley with plastic platform. Ideal for narrow aisles.

- Lightweight.
- Super lightly running castors, with 4 swivel castors as a standard feature and 2 rigid castors, possible with a brake (PR-SC-NS).
- Sturdy configuration for intensive use.
- Low-noise.
- With easy "one-touch" operation to fold the Slim-Cart up in a matter of seconds.
- Very durable. With double coating, both finish painted (approx. 20µ) and powder coated (appr. 70µ).
- Several accessories available.
- Very attractive price/quality ratio.



Afb.1: PR-SC-N (nested)



Afb.2: PR-SC-S (stacked)

Technical specifications

Article nr. Item nr. Weight Dimensions Capacity

11386	PR-SC-S	28Kg	1230x440X1500mm	500kg
11384	PR-SC-N	32,6Kg	1310x420X1600mm	500kg
11385	PR-SC-NS	35Kg	1310x440X1600mm	500kg

Dozens of Slim-Carts can be nested (see ill. 1) or stacked (see fig. 2) in a space which would normally only accommodate a couple of containers. The ideal solution for narrow aisles in supermarkets, warehouses, department stores, distribution and storage.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl



WORK-TAINER



(article nr. 11402)
PR-WT-vicase



PR-WS604
PR-WSP604
Nestable



PR-WLP604
Nestable



Work-tainer + palletlifter

Nestable work-tainers

Ideal in low space storage i.e. supermarkets, storehouses, warehouses, distribution and storage.

- Lightweight.
- Super smoothly running wheels, with 4 swivel castors as a standard feature, 2 of which fitted with brake.
- Sturdy configuration for intensive use.
- Low-noise (steel 92 dB, plastic 87dB, silent type 65dB).
- With easy "one-touch" operation to fold up the Work-Tainer in mere seconds.
- Very durable. With a double coating finish, both finish painted (approx. 20 µ) and powder coated (appr. 70 µ).
- No loose parts, i.e. nothing can get lost.
- Several accessories available.
- Very attractive price/ quality ratio.
- Optional: Silent Type, especially suited for night-time transportation.



(article nr. 11394)
PR-WSP604
• With plastic platform



(article nr. 11391)
PR-WLP604
• With plastic platform



(article nr. 11409)
PR-ZW-6"
Prestar swivel castor 6 inch.
• without brake.



(article nr. 11411)
PR-ZWR-6"
Prestar swivel castor 6 inch.
• with brake.

Now even more silent:



Old situation
Only for double door type and security type



new application

(article nr. 13709)
PR-WLP-SHELF KUNSTST
Platform for worktainers
Dim. 110x80cm plastic

(article nr. 13710)
PR-WLP-SHELF KUNSTST
Platform for worktainers
Dim. 60x80cm plastic



AVAILABLE
ON REQUEST

(article nr. 11474)
PR-WLP604S2D
• Anti theft container/securitytainer
• Completely lockable
• With plastic platform



AVAILABLE
ON REQUEST

(article nr. 11395)
PR-WSP6042D
• With double door and lock
• Completely lockable (version incl. doors)
• With plastic platform
• With and without doors available

Technical specifications

article nr.	Item nr.	Dimensions outside	Dimensions inside	Capacity	Platform	Security	Weight	Dimensions wheels	Option with shelf
11394	Worktainer small PR-WSP604	80x60X170cm	74x57X146cm	500Kg	Plastic		42Kg	150mm (6")	yes
11391	Worktainer large PR-WLP604	110X80X170cm	104X77X146cm	500Kg	Plastic		53Kg	150mm (6")	yes
11395	Worktainer small PR-WSP6042D	80x60X170cm	74x57X146cm	500Kg	Plastic	lockable	42Kg	150mm (6")	yes
11474	Worktainer large PR-WLP-604S2D	110X80X170cm	104X77X146cm	500Kg	Plastic	lockable	54Kg	150mm (6")	no
11473	Worktainer small PR-WSP604S2D	80X60X170cm	74x57X146cm	500Kg	Plastic	lockable	54Kg	150mm (6")	no
13709	PR-WLP-SHELF KUNSTST	110x80cm		100Kg	Plastic		5,8Kg		
13710	PR-WLP-SHELF KUNSTST	60x80cm		100Kg	Plastic		4,1Kg		

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

Bishamon®

Made in Japan

HAND PALLET TRUCKS



Replaceable hydraulic cylinder in case of failure



Polyurethane wheels (BI-HPT-BM20L SINGLE)



Bogie wheels of Polyurethane (BI-HPT-BM20L BOGIE)



Comfortable molded grip handle
3 position control lever provides easy fingertip control of complete hydraulic system.

(Article nr. 13677)
BI-HPT-BM20L SINGLE
Hand pallet truck with single wheels



(Article nr. 13678)
BI-HPT-BM20L BOGIE
Hand pallet truck with bogie wheels



PLATFORM STACKER



adjustable pedal



Double brake system



(Article nr. 13679)
BI-PS-KGL25H
hydraulic stacker
Capacity 250kg



(Article nr. 13680)
BI-PS-KGL45H
hydraulic stacker
Capacity 450kg

Technical specifications

article nr.	article	weight	capacity	Dimensions WxL	Height min / max	Dimensions platform	Height platform min / max	Space between forks	Dim. steering wheels	Dim. wheels	Material wheels*
13677	BI-HPT-BM20L SINGLE	81Kg	2000Kg	520x1150mm	80mm / 200mm			214mm	Ø 80mm	Ø 170mm	V/V (N/N)
13678	BI-HPT-BM20L BOGIE	81Kg	2000Kg	520x1150mm	80mm / 200mm			214mm	Ø 80mm	Ø 170mm	V/V (N/N)
13679	BI-PS-KGL25H	61Kg	250Kg	568x1033mm	1344mm	540x600mm	150 / 1170mm		Ø 125mm		
13680	BI-PS-KGL45H	86Kg	450Kg	625x1088mm	1375mm	600x650mm	150 / 1170mm		Ø 125mm		

Technical changes reserved

* V= polyurethane, N= Nylon

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

LIFTING TABLES



BX-15
Folded



BX-15
Pushbar



BX-15WB
Electrical panel



BX-15WB
Motor unit



BX-15WB
Power unit



(article nr. 14143)
BI-CV-150F
• Fixed roller conveyor
(suitable for: BX-15)

(article nr. 14144)
BI-CV-300F
• Fixed roller conveyor
(suitable for: BX-15 WB)



(article nr. 14146)
BI-CV-300R
• Rotatable roller conveyor
(suitable for: BX-15 WB)



(article nr. 12084)
BX-15
• Painted lifting table
• Lifting capacity 150Kg.



(article nr. 13005)
BX-15W
• Painted lifting table
with double scissor
• Lifting capacity 150Kg.



(article nr. 12088)
BX-15WB
• Painted lifting table
electrical with double
scissor
• Lifting capacity 150Kg.
• Battery 24V26AH
• Charger (built in) 24V3A; 8,5Hr

AVAILABLE
ON REQUEST



Technical specifications

Article nr.	Item nr.	Weight	Lifting capacity	Min. height	Max. height	Dimensions platform	Overall dim. (WxLxH)	Dimensions wheels	Stroke speed	Lift speed
12084	BX-15	33Kg	150Kg	213mm	750mm	700x450mm	853x450x796mm	100mm (4")	15	
13005	BX-15W	92Kg	150Kg	380mm	1390mm	815x500mm	1000x500x900mm	100mm (4")	29	
12088	BX-15WB	132Kg	150Kg	380mm	1400mm	815x500mm	1000x500x900mm	100mm (4")	n.v.t.	10 sec.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

LIFTING TABLES



BX-30
Ergonomic operation handle



BX-30W
In lowest position



BX-30SB
Removable push-button operation



BX-30SB
Motor unit



BX-30SB
Power unit



BX-30-series
swivel castor with protection wheel and brake



(article nr. 12085)

- BX-30**
- Painted lifting table
 - Lifting capacity 300Kg.



(article nr. 12087)

- BX-30B**
- Painted lifting table electrical
 - Lifting capacity 300Kg.
 - Battery 24V18AH
 - Charger (built in) 24V3A; 8,5Hr

AVAILABLE ON REQUEST



(article nr. 12086)

- BX-30W**
- Painted lifting table with double scissor
 - Lifting capacity 300Kg.



(article nr. 13009)

- BX-30SB**
- Painted lifting table electrical with double scissor
 - Lifting capacity 300Kg.
 - Battery 24V26AH
 - Charger (built in) 24V3A; 8,5Hr

AVAILABLE ON REQUEST



(article nr. 14144)

- BI-CV-300F**
- Fixed roller conveyor (suitable for: BX-30/BX-30B)

(article nr. 14145)

- BI-CV-500F**
- Fixed roller conveyor (suitable for: BX-30S/BX-30SB)



(article nr. 14146)

- BI-CV-300R**
- Rotatable roller conveyor (suitable for: BX-30/BX-30B)



Technische specificaties

Article nr.	Item nr.	Weight	Lifting capacity	Min. height	Max. height	Dimensions platform	Overall dim. (WxLxH)	Dimensions wheels	Stroke speed	speed
12085	BX-30	69Kg	300Kg	288mm	880mm	815x500mm	1008x500x896mm	100mm (4")	25	
12087	BX-30B	106Kg	300Kg	292mm	875mm	815x500mm	1060x500x880mm	100mm (4")	n.v.t.	10 sec.
12086	BX-30W	138Kg	300Kg	433mm	1600mm	1010x520mm	1270x520x960mm	150mm (5")	65	
13009	BX-30SB	183Kg	300Kg	445mm	1610mm	1010x520mm	1270x520x950mm	150mm (5")	n.v.t.	12 sec.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

LIFTING TABLES



BX-50
Pushbar



BX-50WB
Electrical panel



BX-50WB
Motor unit



BX-50WB
Power unit



BX-50-serie
Swivel castor



(article nr. 13003)
BX-50
• Painted lifting table
• Lifting capacity 500Kg.



(article nr. 13007)
BX-50B
• Painted lifting table electrical
• Lifting capacity 500Kg.
• Battery 24V26AH
• Charger (built in) 24V3A; 8,5Hr



(article nr. 14145)
BI-CV-500F
• Fixed roller conveyor
(suitable for:
BX-50/BX-50W/BX-50WB)



AVAILABLE
ON REQUEST



(article nr. 13006)
BX-50W
• Painted lifting table
with double scissor
• Lifting capacity 500Kg.



(article nr. 13010)
BX-50WB
• Painted lifting table
Electrical with double
scissor
• Lifting capacity 500Kg.
• Battery 24V26AH
• Charger (built in) 24V3A; 8,5Hr



AVAILABLE
ON REQUEST

Technical specifications

Article nr.	Item nr.	Weight	Lifting capacity	Min. height	Max. height	Dimensions platform	Overall dim. (LxWxH)	Dimensions wheels	Stroke speed	Lift speed
13003	BX-50	112Kg	500Kg	438mm	1020mm	1010x520mm	1191x520x900mm	150mm (5")	50	
13007	BX-50B	157Kg	500Kg	438mm	1020mm	1010x520mm	1270x520x950mm	150mm (5")		10 sec.
13006	BX-50W	151Kg	500Kg	433mm	1600mm	1010x520mm	1270x520x960mm	150mm (5")	90	
13010	BX-50WB	200Kg	500Kg	435mm	1600mm	1010x520mm	1270x520x950mm	150mm (5")		17 sec.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

LIFTING TABLES



BX-80B
Electrical panel

BX-80B
Motor unit

BX-80B
Power unit



(article nr. 13004)
BX-80
• Painted lifting table
• Lifting capacity 800Kg.




(article nr. 13008)
BX-80B
• Painted lifting table electrical
• Lifting capacity 800Kg.
• Battery 24V26AH
• Charger (built in) 24V3A; 8,5Hr

AVAILABLE ON REQUEST



(article nr. 14145)
BI-CV-500F
• Fixed roller conveyor (suitable for: BX-80/BX-80B)



RVS LIFTING TABLES



(article nr. 12082)
BXS 10T
• Stainless steel Lifting table
• Lifting capacity 100Kg.
• Ideal for medical and food sector.



(article nr. 12083)
BXS 20T
• Stainless steel Lifting table
• Lifting capacity 200Kg.
• Ideal for medical and food sector.



(article nr. 12628)
BXS 40T
• Stainless steel Lifting table
• Lifting capacity 400Kg.
• Ideal for medical and food sector.



AVAILABLE ON REQUEST

Technical specifications

Article nr.	Item nr.	Weight	Lifting Capacity	Min. height	Max. height	Dimensions platform	Overall dim. (WxLxH)	Dimensions wheels	Stroke speed	Lift speed
12082	BXS-10T	33Kg	100Kg	213mm	750mm	700x450mm	860x450x820mm	100mm (4")	15	
12083	BXS-20T	69Kg	200Kg	288mm	880mm	815x500mm	1010x500x900mm	100mm (4")	25	
12628	BXS-40T	112Kg	400Kg	438mm	1020mm	1010x520mm	1010x500x900mm	150mm (5")	50	
13004	BX-80	115Kg	800Kg	438mm	1020mm	1010x520mm	1258x520x960mm	150mm (5")	65	
13008	BX-80B	160Kg	800Kg	438mm	1005mm	1010x520mm	1255x520x950mm	150mm (5")	n.v.t.	12 sec.

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

HYDRAULIC LIFTING TABLES



ESX-series
Adjustable knob to determine load capacity




ESX-series
With any change of weight platform will adjust itself keeping load at constant height.



(article nr. 12089)
ESX10
• Painted lifting table with constant level.
• Lifting capacity 30-100Kg.



(article nr. 12090)
ESX21
• Painted lifting table with constant level
• Lifting capacity 80-210Kg.



This load and height chart shows the ESX-21 with a weight varying from 80 to 210Kg




(article nr. 13011)
ESX40
• Painted lifting table with constant level
• Lifting capacity 100-400Kg.

AVAILABLE ON REQUEST



(article nr. 14143)
BI-CV-150F
• Fixed roller conveyor (suitable for: ESX-10)

(article nr. 14144)
BI-CV-300F
• Fixed roller conveyor (suitable for: ESX-21)



(article nr. 14145)
BI-CV-500F
• Fixed roller conveyor (suitable for: ESX-40)



Technical specifications

Article nr.	Item nr.	Weight	Lifting Capacity	Min. height	Max. height	Dimensions platform	Overall dim. (WxLxH)	Dimensions wheels
12089	ESX-10	38Kg	30-100Kg	265mm	662mm	700x450mm	884x450x893mm	100mm (4")
12090	ESX-21	63Kg	80-210Kg	350mm	770mm	813x500mm	1006x500x895mm	100mm (4")
13011	ESX-40	104Kg	100-400Kg	370mm	790mm	1010x518mm	1191x518x930mm	125mm (5")

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

PLATFORMTRUCKWHEELS

NON-MARKING WHEELS



(article nr. 13467)

PR-BW-4"/PL

- Prestar rigid castor 4"
- Dimensions wheel Ø100mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Total height 125mm
- Suitable for Prestar platformtrucks (NB-serie, PB-serie).



(article nr. 13466)

PR-ZW-4"/PL

- Prestar swivel castor 4"
- Dimensions wheel Ø100mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Total height 125mm
- Suitable for Prestar platformtrucks (NB-serie, PB-serie).

(article nr. 11381)

PR-REM-NB

- brake for NB-Serie

(article nr. 12046)

PR-REM-PB

- brake for PB-Serie



(article nr. 11335)

PR-BW-5"/PL

- Prestar rigid castor 5"
- Dimensions wheel Ø130mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for Prestar platformtrucks (FL-serie, NF-serie, PF-serie).



(article nr. 11408)

PR-ZW-5"/PL

- Prestar swivel castor 5"
- Dimensions wheel Ø130mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for Prestar platformtrucks (FL-serie, NF-serie, PF-serie).

(article nr. 11382)

PR-REM-NF

- Brake for NF-Serie

(article nr. 12047)

PR-REM-PF

- Brake for PF-Serie



(article nr. 11337)

PR-BW-8"/PL

- Prestar rigid castor 8"
- Dimensions wheel Ø200mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for Prestar platformtrucks (NG-serie).



(article nr. 11410)

PR-ZW-8"/PL

- Prestar swivel castor 8"
- Dimensions wheel Ø200mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for Prestar platformtrucks (NG-serie).

(article nr. 12044)

PR-REM-NG

- brake for NG-Serie

WORKTAINERWHEELS



(article nr. 11409)

PR-ZW-6"

- Prestar swivel castor 6"
- Dimensions wheel Ø150mm.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for all Prestar worktainers.



(article nr. 11411)

PR-ZWR-6"

- Prestar swivel castor 6"
- Dimensions wheel Ø150mm.
- With brake.
- Polypropylene.
- High quality bearings.
- Silent.
- Suitable for all Prestar worktainers.

HANDGRIPS



(article nr. 11264)
M-970-Z-RUB

- Natural rubber PAK-free.
- Never feels cold even in worst weather conditions.
- Rough surface (antislip)
- Specially designed to fit your hand.



(article nr. 12337)
M-970-Z WITH KNUCKLE PROT

- Ergo grip with knuckle protection
- 38x20mm handle.
- Suitable for handtrucks and wheelbarrows

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

HANDTRUCKWHEELS FOR ALL MATADOR® HANDTRUCKS



PNEUMATIC TYRE

(article nr. 14041)

M-808-L.25

Handtruck wheel(Ø260x85mm).

- Plastic rim.
- Without axle.
- Roller bearing.
- Axle Ø25mm.
- With 4ply tyre.
- Suitable for handtruck M-NST-100, M-NST-150, M-NST200, M-NST-250 and M-NST-300, M-EU-150-VAT.

- Tyre: M-890 (article nr. 11161)
- Inner tube: M-881 (article nr. 11158)
- Starlock cover 25mm M-982 (article nr. 11221)

(article nr. 14047)

M-808-L.20

Handtruck wheel (Ø260x85mm).

- With 4ply tyre.

- Tyre: M-890 (article nr. 11161)
- Inner tube: M-881 (article nr. 11158)
- Starlockcover 20mm M-981 (article nr. 11220)



PUNCTURE-PROOF TYRE

(article nr. 12703)

M-808-CT.25

Handtruck wheel

- Wheel: Ø260x85mm.
- Axle Ø25mm
- Suitable for handtruck M-NST-100, M-NST-150, M-NST200, M-NST-250 and M-NST-300 M-EU-150-VAT.



(article nr. 13405)

M-808-CT.20

- Axle Ø20mm

(article nr. 11220)

M-981

- Starlock cover 20mm

(article nr. 11221)

M-982

- Starlockcover 25mm

SOLID RUBBER TYRE

(article nr. 11309)

M-811

Handtruck wheel.

- Plastic rim.
- Without axle.
- Roller bearing.
- Axle Ø20mm.
- Wheel: Ø200x50mm.
- Suitable for handtruck KTK-125V



(article nr. 11310)

M-813.25

Handtruck wheel.

- Plastic rim.
- Without axle.
- Roller bearing.
- Axle Ø25mm.
- Wheel: Ø250x60mm.
- Suitable for handtruck M-NST-100, M-NST-150, M-NST200, M-NST-250, and M-NST-300, M-EU-150-VAT.



(article nr. 11326)

M-813.20

- Axle Ø20mm
- Plastic rim
- Without axle.
- Roller bearing.
- Axle Ø20mm.
- Wheel: Ø250x60mm.

(article nr. 11220)

M-981

- Starlock cover 20mm

(article nr. 11221)

M-982

- Starlock cover 25mm

(article nr. 11220)

M-981

- Starlock cover 20mm

BUILDERS TRUCK WHEELS



WHEEL GAP FILLER

(article nr. 11284)

PNEUMATIC TYRE AND RIM

- Ø576x177mm



WHEEL STEERINGWAGON

(article nr. 10620)

PNEUMATIC TYRE AND RIM

- 4.00X8 steel wheel hub cap
- Black tyre and red rim

(article nr. 12218)

PUNCTURE PROOF TYRE AND RIM

- 4.00X8 steel wheel hub cap
- Grey tyre and red rim



Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

WHEELBARROW WHEELS FOR ALL MATADOR® WHEEL- BRICK AND TILEBARROWS



PNEUMATIC TYRE

- Steel rim.
- Double closed bearing.
- Wheel: Ø400x100mm
- Axle length 15cm.
(also available with 20 and 25cm axle).

(article nr. 11172)

M-800/106-L4

Toolwheelbarrow wheel with 4ply tyre.

(article nr. 11170)

M-800-L4:

Wheelbarrow wheel with 4ply tyre.

- Tyre: M-892 (article nr. 11163)
- Inner tube: M-882 (article nr. 11157)

(article nr. 13019)

M-150-E ELECTRIC WHEEL

Electric wheel for the M-150-E



(article nr. 15082)

M-800-L4 BLOKTYRE

Wheelbarrowwheel with 4ply bloktyre

- good moving characteristics, extremely suitable for rough surfaces (i.e. on building sights)
- For pavement workers and agriculture.



(article nr. 11824)

TYRE BLOK KRW

Tyre wheelbarrow BLOK 480/400-8/16x4 with 4ply tyre.



PUNCTURE-PROOF TYRE

- Steel rim with double closed bearing.
- Axle length 150mm.
(other sizes are available).
- Wheel 400x100mm.
- Puncture proof.
- Indestructable and stays on course.

(article nr. 11189)

M-800-CT

Wheelbarrow wheel with CT-tyre.

(article nr. 11561)

M-800/106-CT

Toolwheelbarrow wheel with CT-tyre.

(article nr. 11615)

M-800/106-2WI-CT

Toolwheelbarrow wheel with CT-tyre. for 2-wheeled toolwheelbarrow

(article nr. 11296)

M-800-CT ZV

- Puncture proof tyre without rim.

Image not available

(article nr. 11165)

M-DISPLAY-WHEELBARROW WHEEL

- Display for wheelbarrow wheel

SPECIFICATIONS MATADOR® PUNCTURE PROOF TYRE

- No more punctures.
- Cost-saving.
- No maintenance.
- Long life.
- Wear resistant.
- Lightweight.
- Easy to steer straight.
- Easy assembly.
- UV resistant.
- Homogeneous material (Polyuretaan).
- Oil resistant.
- Non-marking.



(article nr. 11181)

M-800

Steel rim.

- With a valve opening.
- Double sealed ball bearings.
- Axle length 15cm.
- Ø20mm axle, rim with powder-coated layer.
- Wheelbarrow wheel also available with 20 and 25cm axles.

RIMS



(article nr. 11184)

M-800/106

Like rim M-800 but with a lockpin.

(article nr. 11185)

M-800/106-2WI

Wheelrim, steel.250-8 type 106, 2-wheeled. for 2-wheeled toolwheelbarrow

Technical changes reserved

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

Custom metalwork
OEM (Original Equipment Manufacturer)

MATADOR®

MADE IN HOLLAND

Our



FOR SOLID PRODUCTS



Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

May we introduce ourselves

Matador B.V. is not only a producer of all sorts of wheel-barrows, but for years it has delivered to various leading companies at home and abroad. Due to enormous growth in mainly France, Matador B.V. decided to open a branche there. Matador Sarl is since the 1st. of September 2008 a fact.

With our extensive experience in the fields of engineering, pressing, robotwelding, powdercoating (in every possible RAL-colour) and assembly, we are able to produce

Strong foundations of our company:

- Good investment in people and machines.
- Flexible approach to the market needs.
- Production of high quality products at a very competitive price.
- Strength in low order series.
- Full-service concept; engineering, development, production, spraying/coating, packaging and tranport to client specified products.

- Hydraulic pressers (to 500 tonnes).
- 300 tonnes press with a programmed, fully automated and robotized tool storage with on and off distribution.
- Excenterpresses with roll feed and straightener and fully automated raw material storage.
- Cutting-off machines, welding robots, programmed CNC press brakes, bending machines and drilling lines.
- Powdercoating installation complete with pre-treatment line and enamelfurnace. We only use durable solvent free powdercoating. This powdercoating is the least harmful to the envirement.
- Our machinery consists of 100 machines.

Our production system is based upon the Lean Manufacturing philosophy. This philosophy has been integrated throughout our whole company. The implemented projects of Lean Manufacturing are the 5S (Sort, Straighten, Sweep, Standardize and sustain). KanBan-system, SMED (Single Minute Exchange of Die) en VSM (Value Stream Mapping).

Facts: Established: in 1895
 Situated in Helvoirt: since 1955
 Employees: 75
 Business area: 15.000 m2, Building 9.000 m2

Areas of our activities:

- Medical, Homecare
- Transport
- Energy
- Petrochemical
- Internal transport, logistics and storage
- Automotive
- Electrotechnical
- Aviation
- hotel and catering, kitchen
- Recreation
- Office furniture

Selection of products that we produce under a private label:

- Setprofiles.
- Construction trestles.
- 4-wheel driven trailer.
- (oil, coolant), leak trays.
- Pen boxes, writing desk for platform trucks.
- machine chassis.
- Post truck, Post picking trolley.
- Hand- and platformtrucks.
- Buggy for garden tools.
- Desk separators.
- Telescopic lamppost.
- wastecontainers.
- Draught doors.
- Stack containers.
- Elevators, elevatordoors for scaffolding.
- home care bed with accessories, file cart, medicine cupboard.
- Transport trucks, plate trucks, carpet trucks.
- Daytanks for hydroelectric plants.
- Rackings, pallet rackings, mobile rackings, roll containers.
- Roll holder.
- Parts for supporting brace.
- Buggy for nitrogenbottles.
- Caravan stairs.
- Firebrigade equipment.
- Barbecues.
- Columns for floors.
- Shelves.

MATADOR®

MADE IN HOLLAND

MEDICAL- AND HOME CARESECTOR



Dossier wagon



Medicine cupboard



Home care bed with accessories



washtub trolleys



CONSTRUCTION-, AGRICULTURAL- AND HORTICULTURALSECTOR

SprayRix®

Use:

- Concrete factory and building site.
- Application of dismantle resources.
- Agriculture and Horticulture.
- Spraying of fluids.

Benefits:

- Diversity in terms of adaptability.
- Adjustable pressure.
- Lightweight.
- filled with ball valve 1 ½".
- Extensive reach (20 mtr reel).
- More volume accessible (14 l)".
- Lower power consumption.
- Longer life of tanks (Gloria®).

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

MATADOR®

MADE IN HOLLAND
TRANSPORT

Custom metalwork
OEM (Original Equipment Manufacturer)



4-wheel driven trailer



Steeringwagon



Plate truck



Carpet truck

INTERNAL TRANSPORT, LOGISTICS AND STORAGE



• Racks, pallet racks, mobile racks, roll containers.



Post picking trolley



Post truck



Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

MATADOR®

MADE IN HOLLAND


PETROCHEMICAL AND ENERGY SECTOR



Daytanks for hydroelectric plants.



Leak tray for oil drums



(oil, coolant), leak trays.

VARIOUS SECTORS



Machine chassis.



Roll holder




Wrapping paper holder



Parts for supporting brace



OFFICE FURNITURE



Desk separators in trio arrangement



Folder display

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com



Dive bar



Air bracket



Breathing/air bracket for firetruck



Attack rack for fire hoses

CONSTRUCTION




Portable lamppost



glass transporter / lifter



Solarbox



Holder bracket



cable Cabinets

Frames for electricity distribution boxes

LIFTING AND MOVING WITH ONE COMPACT DEVICE!



DESIGNED VARIOUS ACCESSORIES FOR TILLER



Liftmobile TILLER®
Palletfork short
Liftmobile TILLER®
Palletfork long



Liftmobile TILLER®
Vacuum device
Liftmobile TILLER®
Vacuum device advanced



Liftmobile TILLER®
Beerkeg hook



Liftmobile TILLER®
Magnet holder



Liftmobile TILLER®
Grolsch beercrate hook



Image not available

Liftmobile TILLER®
Car tyres



Liftmobile TILLER®
Laundry machine,
Tumble dryer



Image not available

Liftmobile TILLER®
Lifting hook

Image not available

Liftmobile TILLER®
Extension

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.nl

MATADOR®

MADE IN HOLLAND

BARBECUES, SMOKE OVENS

Custom metalwork
OEM (Original Equipment Manufacturer)



Designed to:

- Barbecue
- Smoke
- Grill



- Stainless steel grids
- Including thermometer
- 16" with 6mm wall thickness
- 13" with 4mm wall thickness
- Extra large fire box (42 x 32 cm)
- Wood grid
- Detailed Instructions



Several models:

- MMA-Chuck 16" Chuckwagon
- MMA-Speded 16" Special Edition
- MMA-Chuck 13" Chuckwagon
- MMA-13SE 13" Smoker-grill

Matador B.V.
Torenstraat 29, 5268 AS Helvoirt
Postbus 2, 5268 ZG Helvoirt
The Netherlands
Tel.: +31(0)411-64 13 88
Fax: +31(0)411-64 36 50
E-mail: info@matadorbv.nl
www.matadorbv.com

POWDER-COATING

Matador stands for quality.

Since 1991 Matador BV has experience with the powder-coating procedure more than 100 years of working with metal products, which gives us a team of highly qualified workers and engineers. This team strives for quick service and a high quality product. A great range of RAL colours is available out of stock.



A large number of RAL colours is available from stock.



The sophisticated powder cabin and conveyor. In the background the dry and enamel furnace.



To degrease, fosfate and reels as preprocessing for optimum joining of the powder-coating.



Cracking and baking



Products ready for assembly and packaging.

- Passage half-measure: 900x1800 mm.
- Maximum length approx. 3 meters
- Maximum weight per hook: 75Kg.
- Maximum weight per each product: 150Kg.

The process

• Pre-treatment

After the products have been hung on the conveyor belt they head for the degreasing machine. In an alkaline bath follows the first treatment. After that the products will be cleaned with clean water, blow dried to lose all residual water and dried in an oven, to attach the powder-coating equally.

• Powder application


In a cabin the coating is applied electro-statically to the product automatically by 8 robot guns. In difficult spaces this is done by handgun.

• Rumbling

The applied powder is heated in the muffle furnace, through a thermal reaction, converted into a durable wear-resistant coating.

• Assembly / packaging

We also offer the opportunity to pack your goods in transport package or assembly in our factory and package fully assembled



Advantages

- Equal build up of coating.
- Durable coat of paint.
- Sharp edges are protected.
- Great efficiency , low cost.
- Optimal attachment of lacquer.
- No solvents , so environmentally friendly.
- No dry time , so a quick delivery.

MATADOR®

INDEX

Articles:	Page:
Brick wheelbarrow: (M-200, M-210)	8
Bucket holder (M-BUCKET-HOLDER, M-Bucketholder 30L, M-BUCKETHOLDER-XL)	10
Bull-Lock: Metal tow hook, (M-BULL-LOCK)	22
Carpet carrier: (M-TAPRIJTWOLWAGEN)	26
Carrier belt	27
Carts: (Service Carts, Accessories HX-SERIES)	41 / 42
Carts: Prestar (Shelf trolleys PR-NB-, PR-NF-SERIES)	40
Concrete mixers (Prof-line)	20
Cylinder trucks and storage	35
Display Wheelbarrow / Display wheelbarrow parts	17
Esy-Kyp	11
Gap filler (MK-3):	11
Hand pallettrucks: (BI-HPT-BM20L single, BI-HPT-BM20L Bogie)	45
Hand trucks: EX-GH-series (EX-GH50, EX-GH80, EX-GH125, EX-GH150, EX-GH250)	31
Hand trucks: Matador NST-Series (M-NST-200XL, M-NST-200XXL, M-NST-400)	33
Hand trucks: Matador NST-Series (M-NST-100, M-NST-150, M-NST-200, M-NST-250, M-NST-300)	32
Hand trucks: Matador Wheeltruck	34
Hand trucks: Wesco (W-WRV-66)	29
Handgrips	51
Laskar: (M-LK-V LASKAR)	34
Lifting tables: Bishamon (BX-15, BX-15W, BX-15WB)	46
Lifting tables: Bishamon (BX-30, BS-30B, BX-30W, BX-30SB)	47
Lifting tables: Bishamon (BX-50, BX-50B, BX-50W, BX-50WB)	48
Lifting tables: Bishamon (ESX-10, ESX-21, ESX-40)	50
Lifting tables: Bishamon, (BX-80, BX-80B) Stainless steel: (BXS 10T, BXS 20T, BXS 40T)	49
Matador Powder-coating	62
OEM: Medical- and home caresector, Construction-, Agricultural- and Horticulturalsector	56
OEM: Transport, Internal transport, Logistics and storage	57
OEM: Petrochemical and energy sector, Various sectors, office furniture	58
OEM: Fire applications, Construction	59
OEM: Barbecues, smoke ovens	61
OEM: Tiller and accessories:	60
Pallet-mover	23
Plasterers steps: (M-STC-2, M-STC-3)	10
Platform stacker (BI-PS-KGL25H, BI-PS-KGL45H)	45
Platform truck: (Heavy-Duty, with side rails)	25
Platform truck: EdCar, trolley: EdCar	36
Platform trucks and carts: Prestar P.P. (MP-, PB-, PF-SERIES)	38
Platform trucks polypropylene (JC100, JC150)	39
Platform trucks: Prestar (PR-NB-, PR-NF-, FL-, NG-SERIES)	37
Portable ramp: Wesco (W-150800)	28
Quick profile adjuster / Profile head adjuster: ("Gecko")	9
Ramp gridiron: (M-H-MINI, M-H-MIDI, M-H-MAXI)	19
Rollholder for paper and cover foil	10
Sheet Trolley	25
Slim-cart: Prestar (PR-SC-S, PR-SC-N, PR-SC-NS)	43
Snow shovel	21
Steeringwagon: (M-SCHAMELWAGEN)	23
Stepplatform: "De Step-up" (M-OPSTAPBORDES)	28
Superhond: (M-SUPERHOND)	24
Timber trolley: (M-PLATENROLLER)	26
Transport mobile: (CLAX)	30
Transport trolley EX-1A:	30
Trolley Unipro: (M-230)	5
Tub wheelbarrow:	11
Wheelbarrows: Easy-Rider (M-115, M-135):	6
Wheelbarrows: Ergonomic TORO® (M-170):	4
Wheelbarrows: rectangular (K1)	14
wheelbarrows: (M-100, M-110, M-110 VERZ, M-120, M-130)	7
Wheelbarrows: (M-120-rectangular)	8
Wheelbarrows: (Profimax M-151)	15
Wheelbarrows: Demountable wheelbarrow	16
Wheelbarrows: Kids wheelbarrow	21
Wheelbarrows: Tilting tool wheelbarrows (M-106-series)	13
Wheelbarrows: Tool wheelbarrows (M-106-series)	12
Wheelbarrows: Window wheelbarrows (M-510)	18
Wheelbarrows: Rectangular tray (M-140/160, M-140/160-2WI)	18
Wheels hand trucks: (M-808, M-811, M-813)	52
Wheels platform trucks (PR-BW-, PR-ZW-4", 5", 8") Worktainers (PR-ZW-6", PR-ZWR-6")	51
Wheels: Builders truck wheels: (Gap filler, Steeringwagon)	52
Wheels: Wheelbarrows/rims (M-900-SERIES)	53
Worktainers: Prestar (PR-WL-, PR-WLP-, PR-WS-, PR-WSP-SERIES)	44

Matador B.V.
 Torenstraat 29, 5268 AS Helvoirt
 Postbus 2, 5268 ZG Helvoirt
 The Netherlands
 Tel.: +31(0)411-64 13 88
 Fax: +31(0)411-64 36 50
 E-mail: info@matadorbv.nl
 www.matadorbv.nl